

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 60 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Yuvell fine aesthetics	02-033	Week 36	Yes	-	13:33	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
	02-034	Day 0	Yes	-	17:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	12:17	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	11:55	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	11:45	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ : If completion date is unequal visit date

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 61 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Yuvell fine aesthetics	02-034	Week 16	Yes	-	15:29	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
Mara Graz	03-001	Day 0	Yes	-	13:45	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:51	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:21	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	11:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	13:22	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 62 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-001	Week 16	Yes	-	15:55	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
	03-002	Day 0	Yes	-	17:38	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	No: NOT TREATED
						LEFT PR	No: NOT TREATED
		Week 3	Yes	-	09:15	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	16:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	17:15	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	14:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 63 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-002	Week 16	Yes	-	17:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
	03-003	Day 0	Yes	-	14:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	14:52	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	15:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	14:39	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 64 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-003	Week 16	Yes	-	14:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
	03-004	Day 0	Yes	-	15:05	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	09:50	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	14:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	10:08	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 65 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-005	Day 0	Yes	-	12:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	09:21	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	09:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:44	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 66 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-006	Day 0	Yes	-	19:15	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	11:20	RIGHT LCL	No: NOT TREATED
						LEFT LCL	No: NOT TREATED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:06	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	16:22	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	11:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 67 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-007	Day 0	Yes	-	16:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:15	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	16:10	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	17:25	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	20:00	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 68 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-008	Day 0	Yes	-	16:20	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	15:50	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	15:40	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	14:10	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	15:36	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	15:44	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 69 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-009	Day 0	Yes	-	12:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	12:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	11:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	14:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	12:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 70 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-010	Day 0	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	19:20	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	17:05	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	14:47	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	14:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 71 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-011	Day 0	Yes	-	14:15	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:00	RIGHT LCL	No: AE
						LEFT LCL	No: AE
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:50	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	11:52	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	15:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 72 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-012	Day 0	Yes	-	11:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	10:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	11:18	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	11:12	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 73 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-013	Day 0	Yes	-	11:00	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	14:22	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	10:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	08:03	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	17:10	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 74 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-014	Day 0	Yes	-	18:20	RIGHT LCL	No: ST.P.TOXIN TREATMENT
						LEFT LCL	No: ST.P.TOXIN TREATMENT
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	17:20	RIGHT LCL	No: NO TREATMENT
						LEFT LCL	No: NO TREATMENT
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	17:20	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	08:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	17:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	18:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 75 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-015	Day 0	Yes	-	12:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	13:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	12:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	18:25	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	15:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:55	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
		09.03.2020	08.06.2025	09.04.2020

croma

Listing 17.2: Corneometer measurement (process)

Part 76 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-016	Day 0	Yes	-	09:20	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	09:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	08:55	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	13:13	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 77 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-017	Day 0	Yes	-	15:40	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	16:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	13:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	14:01	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 78 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-018	Day 0	Yes	-	14:05	RIGHT LCL	No: NO TREATMENT OF CANTHUS
						LEFT LCL	No: NO TREATMENT OF CANTHUS
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	08:20	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	10:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	10:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
		09.03.2020	08.06.2025	09.04.2020

croma

Listing 17.2: Corneometer measurement (process)

Part 79 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-019	Day 0	Yes	-	10:08	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	15:25	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	16:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	18:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	15:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 80 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-020	Day 0	Yes	-	16:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	12:20	RIGHT LCL	No: AE
						LEFT LCL	No: AE
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	14:20	RIGHT LCL	No: NO TREATMENT
						LEFT LCL	No: NO TREATMENT
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	08:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	12:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	15:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 81 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-021	Day 0	Yes	-	15:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:50	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	15:22	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 82 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-022	Day 0	Yes	-	16:50	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:35	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	15:41	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	15:53	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 83 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-023	Day 0	Yes	-	10:40	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	14:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	08:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	17:02	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	16:35	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
		09.03.2020	08.06.2025	09.04.2020

croma

Listing 17.2: Corneometer measurement (process)

Part 84 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-024	Day 0	Yes	-	09:10	RIGHT LCL	No: ST.P.TOXIN TREATMENT
						LEFT LCL	No: ST.P.TREATMENT
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	10:20	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	09:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	08:34	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	08:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 85 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-025	Day 0	Yes	-	17:50	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	18:00	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	11:50	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	13:30	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	17:03	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	15:24	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 86 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-026	Day 0	Yes	-	10:42	RIGHT LCL	No: NO TREATMENT OF CANTHUS
						LEFT LCL	No: NO TREATMENT OF CANTHUS
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	15:50	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	15:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	15:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 87 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-027	Day 0	Yes	-	11:08	RIGHT LCL	No: NO TREATMENT OF CANTHUS
						LEFT LCL	No: NO TREATMENT OF CANTHUS
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	09:20	RIGHT LCL	No: NO TREATMENT WANTED
						LEFT LCL	No: NO TREATMENT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	11:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	11:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 88 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-028	Day 0	Yes	-	10:32	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	10:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	10:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	14:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	10:25	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:34	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 89 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-029	Day 0	Yes	-	13:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	17:12	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	16:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	17:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:55	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	14:43	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 90 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-030	Day 0	Yes	-	18:20	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	17:50	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	14:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	13:00	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	14:30	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	12:10	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 91 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-031	Day 0	Yes	-	11:28	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	17:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	16:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	13:19	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	16:31	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 92 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-032	Day 0	Yes	-	14:20	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	13:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	12:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	12:31	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	13:17	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 93 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-033	Day 0	Yes	-	10:40	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	14:50	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
		Week 6	Yes	-	13:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
						RIGHT PR	Yes
		Week 8	Yes	-	10:40	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	09:40	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:42	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 94 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-034	Day 0	Yes	-	14:00	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	13:50	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	12:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	11:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	12:39	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	13:41	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 95 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-035	Day 0	Yes	-	10:00	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	12:30	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	10:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	09:05	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	09:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	09:35	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 96 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?	
							No: NOT WANTED	No: NOT WANTED
Mara Graz	03-036	Day 0	Yes	-	15:20	RIGHT LCL		
						LEFT LCL		
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 3	Yes	-	12:20	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 6	Yes	-	14:50	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 8	Yes	-	13:30	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 12	Yes	-	11:28	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	
		Week 16	Yes	-	11:28	RIGHT LCL	Not applicable	
						LEFT LCL	Not applicable	
						RIGHT PR	Yes	
						LEFT PR	Yes	

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 17.2: Corneometer measurement (process)

Part 97 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-037	Day 0	Yes	-	13:11	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	15:20	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	15:10	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	18:30	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	17:28	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	14:26	RIGHT LCL	Yes
						LEFT LCL	Yes
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 98 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-038	Day 0	Yes	-	10:56	RIGHT LCL	No: BOTOX
						LEFT LCL	No: BOTOX
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	09:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	18:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	10:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	15:54	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	09:02	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 99 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-039	Day 0	Yes	-	13:00	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	16:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	14:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	12:10	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	10:35	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:14	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
		09.03.2020	08.06.2025	09.04.2020

croma

Listing 17.2: Corneometer measurement (process)

Part 100 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-040	Day 0	Yes	-	15:50	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	13:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	14:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	12:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	12:15	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	12:58	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹: If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 101 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-041	Day 0	Yes	-	12:12	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	11:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	11:20	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	09:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	09:56	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	10:01	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 103 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-043	Day 0	Yes	-	16:20	RIGHT LCL	No: NOT WANTED
						LEFT LCL	No: NOT WANTED
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	11:40	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	10:45	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	17:30	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	13:52	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	11:56	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 17.2: Corneometer measurement (process)

Part 102 of 103

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Mara Graz	03-042	Day 0	Yes	-	13:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 3	Yes	-	12:50	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 6	Yes	-	12:35	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 8	Yes	-	12:00	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 12	Yes	-	16:14	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes
		Week 16	Yes	-	15:13	RIGHT LCL	Not applicable
						LEFT LCL	Not applicable
						RIGHT PR	Yes
						LEFT PR	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 1 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-001	Day 0	Yes	Yes	Yes	LCL RIGHT	0.117	0.095	0.088	0.6068	0.7263	0.8182
						LCL LEFT	0.182	0.161	0.139	0.7308	0.7640	0.7410
						PR RIGHT	0.175	0.173	0.192	0.8743	0.9538	0.8906
						PR LEFT	0.156	0.156	0.160	0.8846	0.8590	0.8813
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.098	0.091	0.086	0.7143	0.7473	0.7558
						LCL LEFT	0.095	0.088	0.093	0.7368	0.8523	0.8602
						PR RIGHT	0.096	0.144	0.267	0.9167	1.0000	0.7041
						PR LEFT	0.125	0.120	0.119	0.8080	0.8500	0.8487
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.028	0.029	0.052	0.7500	0.8966	0.8846
						LCL LEFT	0.051	0.060	0.069	0.9020	0.9333	0.9420
						PR RIGHT	0.118	0.134	0.143	0.8898	0.9627	0.9371
						PR LEFT	0.039	0.045	0.048	0.8718	0.9333	0.9375
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.083	0.087	0.090	0.7711	0.8161	0.8333
						LCL LEFT	0.040	0.041	0.045	0.7750	0.8049	0.7778
						PR RIGHT	0.044	0.046	0.049	0.9545	0.9130	0.9338
						PR LEFT	0.027	0.026	0.028	0.7778	0.8462	0.8571
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.156	0.139	0.140	0.7308	0.8129	0.8000
						LCL LEFT	0.126	0.117	0.113	0.7698	0.8205	0.8496
						PR RIGHT	0.107	0.119	0.117	0.9065	0.8487	0.8889
						PR LEFT	0.188	0.185	0.179	0.8191	0.8432	0.8547
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	0.188	0.181	0.198	0.7819	0.8343	0.8384
						PR RIGHT	0.175	0.190	0.210	0.8800	1.0000	0.9952
						PR LEFT	0.169	0.145	0.148	0.7101	0.8966	0.9189

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 2 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-002	Day 0	Yes	Yes	Yes	LCL RIGHT	0.330	0.262	0.236	0.7182	0.7748	0.8220
						LCL LEFT	0.189	0.183	0.188	0.8360	0.8525	0.8245
						PR RIGHT	0.141	0.133	0.123	0.8014	0.8120	0.8435
						PR LEFT	0.181	0.185	0.203	0.8895	0.9459	0.9901
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.142	0.146	0.144	0.7676	0.8014	0.8403
						LCL LEFT	0.055	0.053	0.054	0.8364	0.8679	0.9074
						PR RIGHT	0.056	0.068	0.064	1.0000	0.8676	1.0000
						PR LEFT	0.042	0.044	0.047	0.7381	0.8636	0.8298
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.050	0.047	0.050	0.7400	0.8723	0.8800
						LCL LEFT	0.028	0.026	0.027	0.7500	0.8462	0.8519
						PR RIGHT	0.059	0.072	0.077	0.9831	0.9583	0.9740
						PR LEFT	0.032	0.034	0.036	0.8125	0.9412	0.8889
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.042	0.043	0.041	0.8810	0.9302	0.9024
						LCL LEFT	0.056	0.066	0.069	0.8750	0.8939	0.9275
						PR RIGHT	0.037	0.036	0.038	1.0000	1.0000	0.9211
						PR LEFT	0.017	0.017	0.018	0.7647	0.8824	0.8889
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.129	0.116	0.113	0.8140	0.8448	0.8673
						LCL LEFT	0.135	0.126	0.120	0.7630	0.8333	0.8333
						PR RIGHT	0.164	0.169	0.203	1.0000	1.0000	1.0000
						PR LEFT	0.114	0.109	0.127	0.8772	1.0000	1.0000
	01-003	Day 0	Yes	Yes	Yes	LCL RIGHT	0.177	0.167	0.167	0.7571	0.7246	0.8323
						LCL LEFT	0.196	0.218	0.306	0.8929	0.9174	0.7549
						PR RIGHT	0.104	0.106	0.103	0.7981	0.8679	0.9320
						PR LEFT	0.117	0.114	0.118	0.8376	0.8596	0.8983

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 3 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-003	Week 6	Yes	Yes	Yes	LCL RIGHT	0.024	0.023	0.028	0.7083	0.9130	0.9286
						LCL LEFT	0.038	0.037	0.036	0.7895	0.8108	0.9167
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	0.072	0.063	0.063	0.8194	0.8730	0.8413
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.032	0.049	0.060	1.0000	0.8367	0.5500
						LCL LEFT	0.019	0.016	0.018	0.6842	0.8125	0.7222
						PR RIGHT	0.056	0.055	0.059	0.8571	0.9636	0.7627
						PR LEFT	0.050	0.044	0.042	0.8200	0.9091	0.9762
	01-004	Day 0	Yes	Yes	Yes	LCL RIGHT	0.431	0.459	0.445	0.9258	0.9172	0.8067
						LCL LEFT	0.196	0.226	0.239	0.8878	0.8982	0.8996
						PR RIGHT	0.175	0.172	0.172	0.8400	0.9012	1.0000
						PR LEFT	0.185	0.163	0.154	0.8054	0.8405	0.9545
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.056	0.055	0.056	0.7857	0.8364	0.8571
						LCL LEFT	0.058	0.056	0.056	0.7586	0.8750	0.8750
						PR RIGHT	0.060	0.062	0.076	0.9167	0.9677	0.8684
						PR LEFT	0.095	0.092	0.093	0.8737	0.8913	0.9032
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.080	0.142	0.172	1.0000	1.0000	0.7616
						LCL LEFT	0.050	0.051	0.052	0.8000	0.8431	0.8654
						PR RIGHT	0.105	0.113	0.112	0.9143	0.9027	0.0070
						PR LEFT	0.046	0.048	0.050	0.8478	1.0000	0.8400
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.022	0.024	0.039	0.7727	0.9583	1.0000
						LCL LEFT	0.046	0.046	0.047	0.8043	0.8478	0.8936
						PR RIGHT	0.067	0.067	0.071	0.8060	0.9254	0.8873
						PR LEFT	0.053	0.048	0.046	0.7925	0.8958	0.8696

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 4 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-004	Week 12	Yes	Yes	Yes	LCL RIGHT	0.156	0.139	0.125	0.7308	0.7914	1.0000
						LCL LEFT	0.219	0.225	0.232	0.8950	0.9333	0.8491
						PR RIGHT	0.201	0.205	0.197	0.7910	0.8390	0.8528
						PR LEFT	0.371	0.283	0.241	0.7412	0.8198	0.9004
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.111	0.095	0.097	0.7928	0.9263	0.8351
						LCL LEFT	0.257	0.264	0.285	0.9183	0.9545	0.9439
						PR RIGHT	0.177	0.268	0.204	1.0000	1.0000	1.0000
						PR LEFT	0.106	0.092	0.086	0.6887	0.8261	0.8023
	01-005	Day 0	Yes	Yes	Yes	LCL RIGHT	0.155	0.133	0.124	0.7290	0.7970	0.7903
						LCL LEFT	0.156	0.149	0.141	0.8269	0.8523	0.8865
						PR RIGHT	0.173	0.188	0.257	0.8035	1.0000	1.0000
						PR LEFT	0.144	0.144	0.138	0.8333	0.8819	0.9058
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.347	0.266	0.218	0.5043	0.6917	0.8257
						LCL LEFT	0.119	0.134	0.119	0.7731	0.7537	0.8655
						PR RIGHT	0.068	0.060	0.058	0.7353	0.8667	0.9138
						PR LEFT	0.114	0.121	0.123	0.9386	0.9174	0.9350
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.065	0.060	0.054	0.8308	0.9000	0.9074
						LCL LEFT	0.054	0.069	0.094	0.8889	0.9130	0.8511
						PR RIGHT	0.045	0.047	0.059	0.8667	0.9149	0.9492
						PR LEFT	0.047	0.051	0.056	0.9574	1.0000	1.0000
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.065	0.057	0.066	0.7231	1.0000	0.9091
						LCL LEFT	0.052	0.053	0.055	0.8654	0.8679	0.8545
						PR RIGHT	0.048	0.056	0.076	0.9167	1.0000	0.9737
						PR LEFT	0.042	0.046	0.049	1.0000	0.8913	0.9184

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 5 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-005	Week 12	Yes	Yes	Yes	LCL RIGHT	0.217	0.230	0.253	0.7558	0.9435	0.8854
						LCL LEFT	0.215	0.239	0.273	0.7953	0.9163	0.8315
						PR RIGHT	0.120	0.118	0.130	0.8083	0.9068	0.9462
						PR LEFT	0.162	0.142	0.127	0.7346	0.7817	0.8189
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.165	0.161	0.171	0.8303	0.9068	0.9591
						LCL LEFT	0.110	0.101	0.098	0.7182	0.8119	0.8673
						PR RIGHT	0.130	0.161	0.165	1.0000	1.0000	0.9818
						PR LEFT	0.165	0.159	0.152	0.8545	0.8931	0.8684
	01-006	Day 0	Yes	Yes	Yes	LCL RIGHT	0.557	0.449	0.348	0.7110	0.6927	0.7931
						LCL LEFT	0.154	0.136	0.129	0.6818	0.7574	0.8062
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.223	0.217	0.214	0.8072	0.8203	0.8271
						LCL LEFT	0.105	0.102	0.097	0.7905	0.7941	0.8041
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.096	0.108	0.113	0.8333	0.8981	0.9381
						LCL LEFT	0.100	0.101	0.101	0.8200	0.8515	0.8911
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.099	0.091	0.088	0.7475	0.7912	0.8523
						LCL LEFT	0.044	0.049	0.050	0.8409	0.8367	0.8600
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 6 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-006	Week 12	Yes	Yes	Yes	LCL RIGHT	0.081	0.082	0.087	0.7778	0.8415	0.9080
						LCL LEFT	0.052	0.055	0.056	0.8846	0.9455	0.9286
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.261	0.299	0.319	0.8889	1.0000	1.0000
						LCL LEFT	0.106	0.096	0.093	0.7170	0.8229	0.8602
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	01-007	Day 0	Yes	Yes	Yes	LCL RIGHT	0.198	0.196	0.197	0.8586	0.9541	0.9289
						LCL LEFT	0.192	0.180	0.173	0.7604	0.8389	0.8613
						PR RIGHT	0.413	0.384	0.383	0.7724	0.9219	0.8747
						PR LEFT	0.175	0.175	0.169	0.8743	0.8743	0.8870
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.186	0.193	0.219	0.8602	0.8912	0.7671
						LCL LEFT	0.161	0.157	0.158	0.8261	0.8726	0.8797
						PR RIGHT	0.091	0.075	0.074	0.7363	0.8800	0.9459
						PR LEFT	0.076	0.072	0.075	0.8158	0.8611	0.8533
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.265	0.279	0.289	0.9208	0.9427	0.9481
						LCL LEFT	0.078	0.075	0.082	0.7949	0.9200	0.8902
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	0.066	0.067	0.066	0.8030	0.7612	0.7121
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.167	0.183	0.204	0.9341	0.9781	0.9853
						LCL LEFT	0.116	0.122	0.127	0.9224	0.9344	0.9134
						PR RIGHT	0.041	0.042	0.044	0.8780	0.9286	0.9545
						PR LEFT	0.038	0.032	0.029	0.7368	0.8438	0.8966

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 7 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-007	Week 12	-	Yes	Yes	PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
			Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.206	0.336	0.373	1.0000	0.8542	0.6595
						LCL LEFT	0.105	0.096	0.091	0.6857	0.7917	0.8022
						PR RIGHT	0.194	0.175	0.162	0.7835	0.8400	0.9012
						PR LEFT	0.198	0.193	0.183	0.8333	0.8549	0.8197
	01-008	Day 0	Yes	Yes	Yes	LCL RIGHT	0.210	0.190	0.160	0.8048	0.8000	0.8343
						LCL LEFT	0.149	0.126	0.125	0.7047	0.8175	0.8400
						PR RIGHT	0.162	0.155	0.151	0.9012	0.8903	0.9007
						PR LEFT	0.102	0.103	0.104	0.9216	0.8835	0.9327
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.102	0.151	0.131	0.9804	0.7351	0.8168
						LCL LEFT	0.133	0.135	0.135	0.8271	0.8444	0.8296
						PR RIGHT	0.050	0.060	0.075	0.8800	0.8667	0.8133
						PR LEFT	0.043	0.044	0.045	0.8837	0.8636	0.8222
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.025	0.024	0.022	0.8000	0.6667	0.8636
						LCL LEFT	0.036	0.032	0.034	0.5833	0.7813	0.8529
						PR RIGHT	0.064	0.100	0.113	1.0000	1.0000	0.9646
						PR LEFT	0.047	0.049	0.049	0.7447	0.7755	0.7347
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.042	0.046	0.051	0.9048	0.9565	0.9608
						LCL LEFT	0.046	0.046	0.048	0.8478	0.8696	0.8750
						PR RIGHT	0.038	0.038	0.038	0.8421	0.8684	0.8947
						PR LEFT	0.032	0.032	0.034	0.8750	0.9688	0.8529

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 8 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-008	Week 12	Yes	Yes	Yes	LCL RIGHT	0.029	0.037	0.043	0.9310	1.0000	0.8140
						LCL LEFT	0.047	0.049	0.046	0.9149	0.8980	0.9130
						PR RIGHT	0.019	0.023	0.028	0.8947	0.9130	0.9643
						PR LEFT	0.013	0.014	0.016	0.9231	0.9286	0.8750
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.125	0.173	0.249	1.0000	1.0000	1.0000
						LCL LEFT	0.061	0.061	0.077	0.9016	1.0000	1.0000
						PR RIGHT	0.083	0.081	0.083	0.7229	0.8272	0.8554
						PR LEFT	-	-	-	-	-	-
		Week 24	No	Yes	No	LCL RIGHT	0.290	0.138	0.129	0.3103	0.6739	0.7054
						LCL LEFT	0.115	0.110	0.101	0.7391	0.7182	0.8218
						PR RIGHT	0.245	0.271	0.369	0.9429	1.0000	0.8130
						PR LEFT	0.105	0.115	0.111	0.7714	0.8087	0.7658
	01-009	Day 0	Yes	Yes	Yes	LCL RIGHT	0.236	0.308	0.331	0.7797	0.8214	0.7462
						LCL LEFT	0.168	0.154	0.136	0.7679	0.7922	0.7500
						PR RIGHT	0.150	0.146	0.141	0.8467	0.8836	0.8936
						PR LEFT	0.121	0.118	0.122	0.8760	0.9492	0.8934
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.203	0.191	0.189	0.7833	0.8325	0.8677
						LCL LEFT	0.258	0.267	0.269	0.8682	0.8614	0.8476
						PR RIGHT	0.053	0.055	0.064	0.7925	0.9091	0.8750
						PR LEFT	0.043	0.044	0.045	0.8837	0.8636	0.8222
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.116	0.109	0.093	1.0000	0.5780	0.9247
						LCL LEFT	0.073	0.068	0.066	0.7945	0.8529	0.9242
						PR RIGHT	0.094	0.092	0.091	0.8723	0.9348	0.9451
						PR LEFT	0.071	0.064	0.062	0.8028	0.8438	0.8548

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 9 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-009	Week 8	Yes	Yes	Yes	LCL RIGHT	0.066	0.075	0.081	0.8333	0.9600	1.0000
						LCL LEFT	0.076	0.074	0.074	0.8026	0.8108	0.8378
						PR RIGHT	0.065	0.079	0.098	0.9077	0.9494	1.0000
						PR LEFT	0.021	0.021	0.021	0.8571	0.8571	0.9048
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.049	0.021	0.038	1.0000	1.0000	0.7105
						LCL LEFT	0.114	0.118	0.112	0.8509	0.8475	0.9732
						PR RIGHT	0.032	0.030	0.036	0.9063	1.0000	0.8333
						PR LEFT	0.015	0.014	0.017	0.8000	1.0000	0.9412
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.140	0.174	0.215	1.0000	1.0000	1.0000
						LCL LEFT	0.118	0.100	0.103	0.6525	0.8800	0.8350
						PR RIGHT	0.073	0.091	0.131	0.8767	1.0000	0.7863
						PR LEFT	0.092	0.095	0.094	0.9022	0.8316	0.8085
		Week 24	No	Yes	No	LCL RIGHT	0.126	0.119	0.123	0.7937	0.9160	0.8561
						LCL LEFT	0.158	0.119	0.106	0.6456	0.6975	0.8491
						PR RIGHT	0.212	0.278	0.259	0.8962	0.8489	0.8958
						PR LEFT	0.132	0.114	0.114	0.7955	0.8684	0.8070
	01-010	Day 0	Yes	Yes	Yes	LCL RIGHT	0.301	0.296	0.313	0.8937	0.9189	0.9042
						LCL LEFT	0.189	0.187	0.192	0.8466	0.9037	0.8177
						PR RIGHT	0.157	0.164	0.178	0.8917	0.9329	0.8989
						PR LEFT	0.163	0.171	0.171	0.9325	0.9415	0.9006
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.286	0.301	0.302	0.9231	0.8970	0.9371
						LCL LEFT	0.154	0.142	0.131	0.7727	0.8028	0.8244
						PR RIGHT	0.127	0.134	0.140	0.9370	0.9701	0.9429
						PR LEFT	0.101	0.104	0.109	0.8614	0.9519	0.9174

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 10 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-010	Week 6	Yes	Yes	Yes	LCL RIGHT	0.066	0.073	0.078	1.0000	0.8082	0.8974
						LCL LEFT	0.087	0.082	0.083	0.8046	0.9024	0.9277
						PR RIGHT	0.048	0.052	0.060	1.0000	1.0000	0.9167
						PR LEFT	0.061	0.073	0.068	0.9508	0.8082	0.9706
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.066	0.075	0.081	0.8333	0.9600	1.0000
						LCL LEFT	0.076	0.074	0.074	0.8026	0.8108	0.8378
						PR RIGHT	0.065	0.079	0.098	0.9077	0.9494	1.0000
						PR LEFT	0.021	0.021	0.021	0.8571	0.8571	0.9048
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.090	0.072	0.071	1.0000	0.8611	0.8451
						LCL LEFT	0.088	0.086	0.083	0.8182	0.8605	0.8554
						PR RIGHT	0.049	0.050	0.048	1.0000	1.0000	0.9583
						PR LEFT	0.117	0.111	0.108	0.8803	0.9189	0.8704
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.189	0.193	0.185	0.8519	0.8912	0.8865
						LCL LEFT	0.181	0.198	0.205	0.9779	0.9394	0.8780
						PR RIGHT	0.217	0.248	0.244	0.9677	0.9194	0.9139
						PR LEFT	0.116	0.097	0.100	0.6983	0.8763	0.9300
		Week 24	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 36	-	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 11 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-011	Day 0	-	Yes	Yes	PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
			Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.150	0.144	0.136	0.8133	0.8750	0.8897
						LCL LEFT	0.181	0.186	0.191	0.9503	0.8710	0.7853
						PR RIGHT	0.082	0.080	0.089	0.7439	0.9000	0.9551
						PR LEFT	0.056	0.060	0.064	0.8571	0.9000	0.8594
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.065	0.063	0.064	0.8462	0.9048	0.9219
						LCL LEFT	0.061	0.063	0.064	0.8361	0.8730	0.8906
						PR RIGHT	0.035	0.040	0.047	0.8571	0.9500	0.9574
						PR LEFT	0.044	0.045	0.048	0.8182	0.8889	0.8333
		Week 8	-	Yes	Yes	LCL RIGHT	0.091	0.060	0.072	0.8791	1.0000	0.9861
						LCL LEFT	0.038	0.039	0.038	0.7895	0.7692	0.8158
			Yes	Yes	Yes	PR RIGHT	0.054	0.067	0.083	0.8148	0.9701	0.8916
						PR LEFT	0.021	0.025	0.026	0.8095	0.8800	0.8462
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.021	0.024	0.022	0.8571	0.7917	0.9091
						LCL LEFT	0.083	0.085	0.086	0.8072	0.8235	0.8488
						PR RIGHT	0.022	0.025	0.025	0.8182	0.8800	0.8800
						PR LEFT	0.027	0.023	0.019	0.8148	0.8696	0.9474
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.245	0.333	0.334	1.0000	0.8348	0.8832
						LCL LEFT	0.156	0.158	0.151	0.8782	0.8038	0.8146
						PR RIGHT	0.123	0.112	0.101	0.7724	0.8036	0.8020
						PR LEFT	0.149	0.162	0.170	0.7852	0.8704	0.8882

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 12 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-012	Day 0	Yes	Yes	Yes	LCL RIGHT	0.155	0.133	0.124	0.7290	0.7970	0.7903
						LCL LEFT	0.156	0.149	0.141	0.8269	0.8523	0.8865
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.115	0.107	0.105	0.8435	0.8785	0.9333
						LCL LEFT	0.106	0.106	0.102	0.8208	0.8868	0.9118
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.139	0.152	0.155	0.8417	0.8355	0.8968
						LCL LEFT	0.063	0.059	0.060	0.8095	0.9153	0.8833
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.038	0.040	0.046	0.8158	0.9250	1.0000
						LCL LEFT	0.029	0.029	0.029	0.7931	0.8621	0.8621
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.048	0.085	0.117	1.0000	1.0000	1.0000
						LCL LEFT	0.033	0.035	0.034	0.9091	0.9143	0.9412
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.175	0.172	0.175	0.8000	0.8721	0.9029
						LCL LEFT	0.287	0.252	0.232	0.6481	0.7937	0.6810
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 13 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-013	Day 0	Yes	Yes	Yes	LCL RIGHT	0.154	0.162	0.167	0.8961	0.9012	0.9822
						LCL LEFT	0.155	0.149	0.140	0.8258	0.8121	0.8500
						PR RIGHT	0.092	0.138	0.130	0.9022	0.8623	0.8692
						PR LEFT	0.064	0.071	0.073	0.8750	0.9155	0.9315
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.071	0.062	0.079	0.8592	1.0000	0.6203
						LCL LEFT	0.109	0.108	0.107	0.8349	0.8426	0.8505
						PR RIGHT	0.084	0.101	0.108	0.9524	0.9802	0.9537
						PR LEFT	0.041	0.045	0.054	0.8537	0.8889	0.8704
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.041	0.041	0.039	0.8537	0.8293	0.8462
						LCL LEFT	0.087	0.088	0.086	0.8736	0.8864	0.9419
						PR RIGHT	0.035	0.060	0.052	0.9143	0.7500	0.9231
						PR LEFT	0.041	0.045	0.048	0.9024	1.0000	0.9375
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.059	0.065	0.073	0.7288	0.8615	0.8219
						LCL LEFT	0.060	0.053	0.053	0.7333	0.8679	0.8679
						PR RIGHT	0.063	0.077	0.093	0.8412	1.0000	0.8710
						PR LEFT	0.047	0.048	0.046	0.9149	0.8750	0.8696
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.223	0.207	0.195	0.8430	0.8551	0.8615
						LCL LEFT	0.115	0.113	0.114	0.8000	0.8319	0.9386
						PR RIGHT	0.112	0.129	0.141	1.0000	0.9690	0.8723
						PR LEFT	0.146	0.142	0.163	0.8699	0.9859	1.0000
	01-014	Day 0	Yes	Yes	Yes	LCL RIGHT	0.224	0.225	0.248	0.8348	0.8889	0.8589
						LCL LEFT	0.222	0.180	0.179	0.6532	0.8167	0.8659
						PR RIGHT	0.092	0.089	0.090	0.8370	0.9326	0.9111
						PR LEFT	0.120	0.127	0.132	0.9250	0.9764	0.9697

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 14 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-014	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.051	0.051	0.064	0.7451	0.8627	0.7031
						PR LEFT	0.052	0.055	0.057	0.7500	0.8000	0.8596
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.083	0.095	0.101	0.9277	0.9579	0.9307
						LCL LEFT	0.176	0.165	0.157	0.8068	0.8303	0.8153
						PR RIGHT	0.073	0.075	0.075	0.8904	0.9333	0.8933
						PR LEFT	0.080	0.074	0.072	0.8625	0.8919	0.8472
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.016	0.025	0.041	1.0000	1.0000	0.8049
						PR LEFT	0.025	0.025	0.024	0.8000	0.8000	0.7917
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.022	0.020	0.026	1.0000	1.0000	0.8077
						LCL LEFT	0.080	0.086	0.092	0.7875	0.8140	0.8804
						PR RIGHT	0.019	0.023	0.035	1.0000	1.0000	1.0000
						PR LEFT	0.022	0.020	0.023	0.9091	0.9500	0.9565
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.301	0.344	0.394	0.7907	1.0000	0.9594
						LCL LEFT	0.112	0.109	0.101	0.7143	0.7982	0.7921
						PR RIGHT	0.144	0.138	0.135	0.8542	0.9493	0.8889
						PR LEFT	0.183	0.167	0.162	0.8415	0.8563	0.8333
	01-015	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.121	0.121	0.118	0.8264	0.8347	0.8305
						PR LEFT	0.066	0.065	0.072	0.8030	0.9077	0.8333

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 15 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-015	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.051	0.051	0.064	0.7451	0.8627	0.7031
						PR LEFT	0.052	0.055	0.057	0.7500	0.8000	0.8596
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.016	0.025	0.041	1.0000	1.0000	0.8049
						PR LEFT	0.025	0.025	0.024	0.8000	0.8000	0.7917
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.152	0.222	0.227	1.0000	0.9369	0.9868
						PR LEFT	0.164	0.147	0.141	0.7622	0.8571	0.8723
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.071	0.073	0.083	0.8169	0.9863	0.9398
						PR LEFT	0.052	0.053	0.056	0.7692	0.8491	0.8929
	01-016	Day 0	Yes	Yes	Yes	LCL RIGHT	0.119	0.132	0.142	0.8908	0.9091	0.8803
						LCL LEFT	0.125	0.122	0.115	0.7840	0.7869	0.8696
						PR RIGHT	0.039	0.042	0.050	0.7949	0.9762	0.8200
						PR LEFT	0.081	0.085	0.084	0.9136	0.8824	0.8690
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.132	0.130	0.108	0.9242	1.0000	0.7222
						LCL LEFT	0.107	0.109	0.112	0.8785	0.8899	0.9107
						PR RIGHT	0.075	0.079	0.084	0.9200	1.0000	0.9048
						PR LEFT	0.041	0.041	0.042	0.8537	0.8780	0.9048

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 16 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-016	Week 6	Yes	Yes	Yes	LCL RIGHT	0.066	0.066	0.069	0.8182	0.8788	0.8986
						LCL LEFT	0.081	0.098	0.102	1.0000	1.0000	1.0000
						PR RIGHT	0.038	0.039	0.041	0.8684	0.9231	0.9024
						PR LEFT	0.043	0.046	0.048	0.8140	0.8696	0.8125
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.080	0.084	0.094	0.9125	0.9643	1.0000
						LCL LEFT	0.049	0.052	0.054	0.8367	0.8077	0.8148
						PR RIGHT	0.036	0.029	0.030	0.6389	0.7931	0.8667
						PR LEFT	0.031	0.028	0.028	0.7419	0.8214	0.8929
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.014	0.014	0.012	0.6429	0.7143	1.0000
						LCL LEFT	0.021	0.023	0.026	0.9048	0.9130	0.9231
						PR RIGHT	0.007	0.008	0.008	0.8571	0.8750	1.0000
						PR LEFT	0.006	0.006	0.006	0.8333	1.0000	0.8333
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.179	0.245	0.301	1.0000	0.8857	1.0000
						LCL LEFT	0.117	0.110	0.099	0.8205	0.8000	0.7980
						PR RIGHT	0.142	0.142	0.153	0.8239	0.9577	1.0000
						PR LEFT	0.106	0.092	0.086	0.6887	0.8261	0.8023
	01-017	Day 0	Yes	Yes	Yes	LCL RIGHT	0.278	0.269	0.275	0.8417	0.8662	0.8618
						LCL LEFT	0.204	0.190	0.197	0.8088	0.8737	0.8883
						PR RIGHT	0.085	0.104	0.146	0.9647	0.9904	0.8562
						PR LEFT	0.071	0.070	0.076	0.8169	0.8857	0.9737
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.321	0.249	0.240	0.6854	0.8394	0.8958
						LCL LEFT	0.111	0.113	0.114	0.9099	0.9027	0.8509
						PR RIGHT	0.045	0.051	0.058	0.7778	1.0000	0.8793
						PR LEFT	0.075	0.070	0.063	0.8533	0.8571	0.7778

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 17 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-017	Week 6	Yes	Yes	Yes	LCL RIGHT	0.146	0.159	0.170	0.9726	0.9748	0.9941
						LCL LEFT	0.058	0.057	0.059	0.8793	0.9298	0.9492
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.100	0.106	0.108	0.9000	0.8868	0.8704
						LCL LEFT	0.116	0.129	0.147	0.9397	0.9380	0.9116
						PR RIGHT	0.031	0.036	0.047	1.0000	1.0000	1.0000
						PR LEFT	0.025	0.027	0.033	0.8400	0.9630	1.0000
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.235	0.255	0.219	0.7745	0.7333	0.7306
						LCL LEFT	0.237	0.202	0.175	0.7637	0.7871	0.8343
						PR RIGHT	0.152	0.168	0.156	0.9013	0.8452	0.8846
						PR LEFT	0.126	0.131	0.123	0.7937	0.8550	0.7805
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.206	0.226	0.253	1.0000	1.0000	0.9921
						LCL LEFT	0.182	0.164	0.152	0.7692	0.8110	0.7697
						PR RIGHT	0.107	0.128	0.141	0.9533	1.0000	1.0000
						PR LEFT	0.111	0.115	0.110	0.8739	0.8870	0.8818
		Week 24	-	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	01-018	Day 0	Yes	Yes	Yes	LCL RIGHT	0.246	0.258	0.260	0.8780	0.8876	0.9308
						LCL LEFT	0.135	0.141	0.141	0.8815	0.8794	0.8936
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 18 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-018	Week 3	Yes	Yes	Yes	LCL RIGHT	0.172	0.166	0.160	0.8081	0.8916	0.8500
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.068	0.072	0.074	0.9118	0.9444	0.9324
						LCL LEFT	0.093	0.100	0.104	0.9247	0.9000	0.9327
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	-	Yes	Yes	PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
			Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.139	0.131	0.127	0.7626	0.8473	0.8819
						LCL LEFT	0.136	0.122	0.116	0.7206	0.7951	0.8017
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
	01-019					LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.089	0.111	0.100	0.8764	0.7928	0.9400
						PR LEFT	0.090	0.096	0.097	0.8222	0.8542	0.9175
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.090	0.101	0.111	0.9000	0.9901	0.9730
						PR LEFT	0.068	0.065	0.066	0.9118	1.0000	0.8788

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 19 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-019	Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.066	0.075	0.088	0.8788	0.9733	0.9205
						PR LEFT	0.048	0.049	0.048	0.8750	0.8776	0.8542
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.041	0.044	0.047	0.9268	0.9773	0.9149
						PR LEFT	0.031	0.031	0.042	0.9355	1.0000	0.9524
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.308	0.329	0.363	0.9058	1.0000	0.9174
						PR LEFT	0.150	0.144	0.153	0.8200	1.0000	0.9935
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.221	0.223	0.9171	0.9729	0.9731
						PR LEFT	0.171	0.159	0.141	0.8655	0.8805	0.8582
	01-020	Day 0	Yes	Yes	Yes	LCL RIGHT	0.229	0.237	0.228	0.8035	0.8692	0.9298
						LCL LEFT	0.169	0.148	0.146	0.7041	0.8311	0.8699
						PR RIGHT	0.046	0.047	0.050	0.7609	0.8936	0.9400
						PR LEFT	0.045	0.043	0.047	0.8222	0.9070	0.9574
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.147	0.144	0.144	0.8503	0.8542	0.8542
						LCL LEFT	0.233	0.213	0.206	0.7382	0.8028	0.8544
						PR RIGHT	0.078	0.085	0.120	0.8333	1.0000	0.7833
						PR LEFT	0.048	0.050	0.051	0.7917	0.8400	0.8824

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 20 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-020	Week 6	Yes	Yes	Yes	LCL RIGHT	0.169	0.168	0.180	0.8225	0.9643	0.8778
						LCL LEFT	0.208	0.220	0.199	0.8798	0.7773	0.8693
						PR RIGHT	0.038	0.046	0.073	0.8947	1.0000	1.0000
						PR LEFT	0.059	0.044	0.040	0.6271	0.7727	0.8500
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.198	0.213	0.227	0.8485	0.8826	0.8855
						LCL LEFT	0.133	0.132	0.136	0.7895	0.8182	0.8603
						PR RIGHT	0.048	0.043	0.039	0.7083	0.7442	0.8462
						PR LEFT	0.022	0.021	0.018	0.8182	0.8095	0.8333
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.124	0.135	0.142	0.9274	0.9481	0.9155
						LCL LEFT	0.147	0.147	0.151	0.8503	0.8639	0.8808
						PR RIGHT	0.024	0.026	0.037	0.9167	1.0000	0.9459
						PR LEFT	0.012	0.011	0.015	0.9167	1.0000	0.8667
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.348	0.407	0.460	0.9023	1.0000	0.9370
						LCL LEFT	0.183	0.174	0.150	0.7049	0.7701	0.8800
						PR RIGHT	0.141	0.167	0.199	0.9504	1.0000	1.0000
						PR LEFT	0.106	0.112	0.113	1.0000	1.0000	0.8938
		Week 24	No	Yes	No	LCL RIGHT	0.215	0.208	0.195	0.8465	0.8413	0.8513
						LCL LEFT	0.150	0.149	0.170	0.8200	0.9396	0.9118
						PR RIGHT	0.217	0.224	0.240	0.8756	0.9554	0.9208
						PR LEFT	0.118	0.109	0.120	0.7712	1.0000	0.9167
	01-021	Day 0	Yes	Yes	Yes	LCL RIGHT	0.217	0.333	0.451	1.0000	1.0000	0.9202
						LCL LEFT	0.150	0.144	0.151	0.8133	0.8819	0.8411
						PR RIGHT	0.058	0.064	0.066	0.8966	0.9219	0.9091
						PR LEFT	0.096	0.099	0.100	0.8958	0.9293	0.9000

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 21 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-021	Week 3	Yes	Yes	Yes	LCL RIGHT	0.134	0.150	0.164	0.8731	0.9733	0.9207
						LCL LEFT	0.119	0.117	0.123	0.7563	0.8547	0.8455
						PR RIGHT	0.070	0.067	0.069	0.8571	0.9701	1.0000
						PR LEFT	0.054	0.053	0.055	0.8704	0.8868	0.9636
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.167	0.157	0.179	0.7605	0.8535	0.7989
						LCL LEFT	0.135	0.138	0.138	0.8148	0.8841	0.8478
						PR RIGHT	0.036	0.039	0.055	0.9444	1.0000	0.9091
						PR LEFT	0.044	0.046	0.049	0.8864	0.9348	0.9592
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.104	0.116	0.122	0.8750	0.8966	0.9262
						LCL LEFT	0.153	0.169	0.166	0.9216	0.9112	0.9036
						PR RIGHT	0.044	0.052	0.062	0.9091	0.9808	0.8065
						PR LEFT	0.040	0.044	0.050	0.9250	0.9773	0.9200
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.113	0.120	0.120	0.9292	1.0000	0.9917
						LCL LEFT	0.067	0.072	0.072	0.8507	0.8056	0.8750
						PR RIGHT	0.015	0.015	0.016	0.7333	1.0000	0.9375
						PR LEFT	0.015	0.013	0.014	0.8000	0.9231	0.9286
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.199	0.210	0.227	0.9598	1.0000	1.0000
						LCL LEFT	0.198	0.207	0.206	0.9141	0.9034	0.9515
						PR RIGHT	0.058	0.058	0.062	0.9655	1.0000	1.0000
						PR LEFT	0.070	0.069	0.069	0.9143	0.9710	0.8986
		Week 24	No	Yes	No	LCL RIGHT	0.145	0.130	0.137	0.7931	0.9077	0.8467
						LCL LEFT	0.188	0.154	0.179	0.7553	1.0000	1.0000
						PR RIGHT	0.147	0.165	0.215	1.0000	1.0000	1.0000
						PR LEFT	0.212	0.191	0.203	0.9245	1.0000	0.9310

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 22 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-022	Day 0	Yes	Yes	Yes	LCL RIGHT	0.219	0.206	0.201	0.8265	1.0000	0.9751
						LCL LEFT	0.184	0.157	0.141	0.7337	0.7771	0.8227
						PR RIGHT	0.084	0.088	0.096	0.8571	0.9205	0.8646
						PR LEFT	0.064	0.059	0.058	0.7656	0.8644	1.0000
	01-023	Day 0	Yes	Yes	Yes	LCL RIGHT	0.105	0.100	0.105	0.7714	0.8400	0.8381
						LCL LEFT	0.066	0.070	0.074	0.8333	0.9000	0.8649
						PR RIGHT	0.087	0.105	0.142	0.8506	1.0000	0.7394
						PR LEFT	0.100	0.099	0.105	0.8100	0.8586	0.8286
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.174	0.186	0.185	0.7586	0.7957	0.7892
						LCL LEFT	0.056	0.055	0.057	0.7500	0.8182	0.7895
						PR RIGHT	0.060	0.063	0.066	0.8667	0.9048	0.9394
						PR LEFT	0.068	0.068	0.070	0.8529	0.8824	0.8714
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.021	0.022	0.029	0.6667	0.8636	0.8276
						LCL LEFT	0.029	0.029	0.031	0.7586	0.8276	0.8710
						PR RIGHT	0.044	0.046	0.043	0.8182	0.8478	1.0000
						PR LEFT	0.056	0.058	0.060	0.8036	0.8621	0.9000
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.020	0.021	0.020	0.7500	0.9048	0.9000
						LCL LEFT	0.024	0.023	0.022	0.6250	0.7391	0.8182
						PR RIGHT	0.020	0.027	0.030	0.8500	0.8519	0.9333
						PR LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.117	0.131	0.156	0.8547	0.9695	0.8974
						LCL LEFT	0.097	0.094	0.093	0.7320	0.7766	0.7527
						PR RIGHT	0.071	0.065	0.070	0.8169	0.8923	1.0000
						PR LEFT	0.073	0.074	0.077	0.8356	0.8919	0.9351

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 23 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-023	Week 16	Yes	Yes	Yes	LCL RIGHT	0.127	0.122	0.137	0.7323	0.8279	0.8467
						LCL LEFT	0.071	0.074	0.080	0.7746	0.7838	0.7500
						PR RIGHT	0.077	0.084	0.104	0.8701	0.9762	0.9615
						PR LEFT	0.073	0.071	0.071	0.8356	0.9014	0.9155
	01-024	Day 0	Yes	Yes	Yes	LCL RIGHT	0.371	0.388	0.335	0.8356	0.7732	0.9075
						LCL LEFT	0.160	0.150	0.146	0.8250	0.8933	0.9384
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	-	Yes	Yes	LCL RIGHT	0.122	0.109	0.104	0.7787	0.7982	0.8558
						LCL LEFT	0.068	0.063	0.058	0.9559	1.0000	0.9138
			Yes	Yes	Yes	PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.088	0.095	0.098	0.9091	0.9053	0.8980
						LCL LEFT	0.060	0.062	0.066	0.8833	0.9194	0.9091
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.078	0.081	0.080	1.0000	0.8025	0.8250
						LCL LEFT	0.023	0.023	0.023	0.8261	0.8261	0.8261
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.105	0.106	0.113	0.8095	0.8962	0.9115
						LCL LEFT	0.116	0.115	0.119	0.8534	0.9217	0.8487
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 24 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venereology clinic	01-024	Week 16	Yes	Yes	Yes	LCL RIGHT	0.119	0.116	0.114	0.7731	0.8707	0.8246
						LCL LEFT	0.102	0.100	0.098	0.8137	0.8200	0.8878
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	01-025	Day 0	Yes	Yes	Yes	LCL RIGHT	0.154	0.152	0.152	0.8182	0.8684	0.8421
						LCL LEFT	0.059	0.052	0.057	0.7797	0.9231	0.8596
						PR RIGHT	0.031	0.030	0.034	0.7742	0.8667	0.7941
						PR LEFT	0.054	0.046	0.046	0.7778	0.8696	0.9130
		Week 3	-	Yes	Yes	LCL RIGHT	0.042	0.040	0.041	0.8333	0.8500	0.8537
						LCL LEFT	0.071	0.072	0.074	0.9155	0.9444	0.9189
			Yes	Yes	Yes	PR RIGHT	0.019	0.020	0.020	0.7895	0.7500	0.9000
						PR LEFT	0.026	0.024	0.030	0.7692	0.8333	0.8000
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.058	0.069	0.069	0.8621	0.7971	0.8406
						LCL LEFT	0.051	0.048	0.046	0.7059	0.8542	0.8043
						PR RIGHT	0.022	0.022	0.024	0.8636	0.8636	0.9167
						PR LEFT	0.021	0.021	0.020	0.6667	0.7619	0.7000
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.031	0.032	0.032	0.8387	0.8438	0.9688
						LCL LEFT	0.014	0.014	0.017	0.7857	0.8571	0.7647
						PR RIGHT	0.012	0.012	0.012	0.7500	0.8333	0.8333
						PR LEFT	0.010	0.010	0.011	0.7000	0.9000	0.9091
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.131	0.130	0.137	0.8092	0.9000	0.9927
						LCL LEFT	0.168	0.154	0.148	0.7857	0.8247	0.9054
						PR RIGHT	0.189	0.206	0.223	0.9048	0.9709	0.9462
						PR LEFT	0.101	0.100	0.103	0.8515	0.8600	0.8544

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 25 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Dermatology and venerology clinic	01-025	Week 16	Yes	Yes	Yes	LCL RIGHT	0.131	0.133	0.133	0.8855	0.9023	0.9398
						LCL LEFT	0.067	0.070	0.075	0.8507	0.8714	0.9333
						PR RIGHT	0.053	0.054	0.061	0.8113	1.0000	1.0000
						PR LEFT	0.039	0.037	0.037	0.6667	0.7838	0.8378
Yuvel fine aesthetics	02-001	Day 0	Yes	Yes	Yes	LCL RIGHT	0.493	0.496	0.505	0.8986	0.9073	0.9624
						LCL LEFT	0.293	0.257	0.306	0.8498	0.8482	0.8562
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.634	0.534	0.492	0.7650	0.8483	0.8963
						LCL LEFT	0.385	0.388	0.357	0.9247	0.8376	0.8207
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.433	0.425	0.418	0.9122	0.8729	0.9187
						LCL LEFT	0.418	0.464	0.449	0.9689	0.8901	0.9421
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.428	0.443	0.445	0.9206	0.9120	0.9348
						LCL LEFT	0.349	0.362	0.366	0.9312	0.9724	0.9071
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.386	0.357	0.368	0.8601	0.9496	0.8370
						LCL LEFT	0.356	0.366	0.401	0.9270	1.0000	0.9451
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 26 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-001	Week 16	Yes	Yes	Yes	LCL RIGHT	0.302	0.269	0.259	0.8245	0.9108	0.9344
						LCL LEFT	0.282	0.277	0.291	0.8901	0.9567	0.8694
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	02-002	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.315	0.319	0.286	0.7968	0.8150	0.9231
						PR LEFT	0.253	0.254	0.260	0.8656	0.8622	0.9192
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.319	0.313	0.334	0.8934	0.9393	0.8802
						PR LEFT	0.292	0.293	0.318	0.9726	0.9898	1.0000
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.247	0.244	0.222	0.8907	0.8115	0.9279
						PR LEFT	0.240	0.214	0.228	0.7542	0.8925	0.9035
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.259	0.238	0.245	0.7992	0.9244	0.8408
						PR LEFT	0.180	0.162	0.158	0.7389	0.8395	0.8987
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.254	0.255	0.261	0.9213	0.9412	1.0000
						PR LEFT	0.236	0.236	0.230	0.8898	0.8602	0.8913

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 27 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-002	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.146	0.147	0.133	0.8493	0.8299	0.9323
						PR LEFT	0.206	0.192	0.170	0.6408	0.6302	0.6824
	02-003	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.261	0.257	0.257	0.7548	0.8755	1.0000
						PR LEFT	0.313	0.348	0.331	0.9649	0.8477	0.8489
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.337	0.314	0.351	0.7804	0.9331	0.8034
						PR LEFT	0.290	0.368	0.323	1.0000	0.8071	0.8483
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.313	0.315	0.314	0.9010	0.8952	0.8917
						PR LEFT	0.359	0.360	0.314	0.9526	0.8139	0.8758
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.297	0.249	0.253	0.7306	0.8394	0.8498
						PR LEFT	0.385	0.356	0.334	0.8078	0.8315	0.9012
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.367	0.340	0.326	0.8583	0.8618	0.8896
						PR LEFT	0.222	0.213	0.221	0.8333	0.9484	0.8416

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 28 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-003	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.251	0.248	0.242	0.8446	0.8871	0.8884
						PR LEFT	0.143	0.139	0.148	0.8112	0.9496	0.8581
	02-004	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.242	0.221	0.245	0.8306	0.8959	0.8735
						PR LEFT	0.520	0.559	0.573	0.9615	0.9589	0.9860
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.373	0.376	0.404	0.9651	0.9388	0.8193
						PR LEFT	0.270	0.325	0.346	1.0000	0.9969	0.9451
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.220	0.224	0.219	0.8727	0.8661	0.8356
						PR LEFT	0.228	0.208	0.250	0.7895	0.9327	0.8800
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.301	0.276	0.285	0.8505	0.9022	0.7649
						PR LEFT	0.276	0.283	0.320	0.9239	0.9753	0.9281
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.280	0.256	0.254	0.8571	0.9063	0.8780
						PR LEFT	0.396	0.415	0.457	0.9495	0.9012	0.9103

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 29 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-004	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.189	0.179	0.160	0.8571	0.8045	0.8813
						PR LEFT	0.199	0.192	0.191	0.8844	0.8594	0.9005
	02-005	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.341	0.302	0.261	0.7947	0.7781	0.7854
						PR LEFT	0.297	0.341	0.396	0.9966	0.9326	0.8561
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.446	0.410	0.422	0.8363	0.9049	0.8318
						PR LEFT	0.252	0.220	0.203	0.7738	0.8409	0.8621
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.414	0.354	0.368	0.7971	0.9379	0.8886
						PR LEFT	0.243	0.247	0.287	0.9630	1.0000	0.9826
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.273	0.286	0.231	0.7839	0.7098	0.8095
						PR LEFT	0.271	0.247	0.252	0.7860	0.9069	0.9405
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.221	0.212	0.212	0.7692	0.8679	0.9245
						PR LEFT	0.304	0.313	0.336	0.9572	0.9712	0.9464

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 30 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-005	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.182	0.186	0.206	0.9231	1.0000	0.8738
						PR LEFT	0.250	0.254	0.257	0.9200	0.9449	0.9183
	02-006	Day 0	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.383	0.393	0.386	0.9713	0.9059	0.8912
						PR LEFT	0.377	0.363	0.375	0.8939	0.9532	0.9920
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.356	0.372	0.359	1.0000	0.9731	1.0000
						PR LEFT	0.356	0.394	0.379	0.9888	0.8934	0.9551
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.308	0.312	0.301	0.9416	0.9231	0.9369
						PR LEFT	0.339	0.370	0.401	0.9587	1.0000	0.9152
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.308	0.312	0.301	0.9416	0.9231	0.9369
						PR LEFT	0.339	0.370	0.401	0.9587	1.0000	0.9152
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.311	0.328	0.336	0.9936	0.9634	0.9851
						PR LEFT	0.248	0.249	0.252	0.9113	0.9237	0.9762

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 31 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-006	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.212	0.210	0.210	0.9198	0.9381	0.9381
						PR LEFT	0.210	0.207	0.214	0.9238	0.9758	0.9907
	02-007	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.221	0.229	0.243	0.9140	0.9432	0.9095
						PR LEFT	0.322	0.323	0.336	0.9224	0.9381	1.0000
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.280	0.261	0.269	0.8500	0.9272	0.8587
						PR LEFT	0.309	0.312	0.305	0.9482	0.9006	0.9410
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.184	0.181	0.190	0.9185	0.9227	0.9263
						PR LEFT	0.264	0.285	0.297	0.8447	1.0000	1.0000
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.210	0.207	0.8853	0.8857	0.9179
						PR LEFT	0.228	0.253	0.263	0.9518	0.9960	0.8327
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.222	0.214	0.212	0.8919	0.9112	0.9151
						PR LEFT	0.143	0.170	0.179	0.9441	0.9000	0.8659

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 32 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-007	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.248	0.228	0.225	0.7863	0.8640	1.0000
						PR LEFT	0.125	0.123	0.120	0.8000	0.9512	0.7667
	02-008	Day 0	Yes	Yes	Yes	LCL RIGHT	0.353	0.312	0.245	0.8130	0.6955	0.8694
						LCL LEFT	0.248	0.232	0.221	0.8105	0.8190	0.8688
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.218	0.204	0.185	0.8165	0.7451	0.7459
						LCL LEFT	0.171	0.161	0.157	0.7778	0.7950	0.8408
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.221	0.225	0.230	0.9050	0.9067	0.9087
						LCL LEFT	0.171	0.143	0.130	0.7602	0.8392	0.8231
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.093	0.091	0.087	0.8172	0.8242	0.8736
						LCL LEFT	0.105	0.095	0.086	0.7905	0.7684	0.8605
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	No	Yes	No	LCL RIGHT	0.096	0.095	0.094	0.8646	0.9158	0.8936
						LCL LEFT	0.109	0.096	0.095	0.7890	0.8333	0.9895
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 33 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-008	Week 16	Yes	Yes	Yes	LCL RIGHT	0.090	0.087	0.084	0.8444	0.8621	0.8571
						LCL LEFT	0.107	0.105	0.105	0.8318	0.9143	0.9238
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	02-009	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.257	0.225	0.215	0.8249	0.7911	0.7860
						PR LEFT	0.166	0.175	0.165	0.9518	0.7943	0.8121
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.297	0.294	0.288	0.9024	0.8673	0.8611
						PR LEFT	0.202	0.201	0.215	0.9455	0.9453	0.9070
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.282	0.267	0.268	0.8227	0.8989	0.8955
						PR LEFT	0.167	0.170	0.181	0.8922	0.9235	0.8840
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.127	0.117	0.119	0.8740	0.9487	0.8235
						PR LEFT	0.145	0.125	0.116	0.7931	0.8720	0.9397
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.158	0.158	0.142	0.8924	0.8291	0.8662
						PR LEFT	0.100	0.093	0.082	0.8900	0.8065	0.9512

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 34 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-009	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.104	0.103	0.105	0.8654	0.8835	0.8286
						PR LEFT	0.130	0.122	0.105	0.8231	0.8115	0.8286
	02-010	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.355	0.345	0.371	0.8254	0.9101	0.9084
						PR LEFT	0.377	0.376	0.409	0.9682	0.9468	0.9780
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.231	0.216	0.203	0.7965	0.8657	0.8128
						PR LEFT	0.216	0.236	0.225	0.8657	0.8305	0.8000
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.209	0.198	0.199	0.8038	0.8485	0.8141
						PR LEFT	0.204	0.184	0.168	0.8235	0.8152	0.8036
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.219	0.216	0.9083	0.8904	0.8287
						PR LEFT	0.134	0.116	0.112	0.8060	0.8793	0.9554
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.109	0.112	0.116	0.9358	0.9821	0.9569
						PR LEFT	0.124	0.112	0.105	0.7984	0.8482	0.9143

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 35 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-010	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.123	0.108	0.105	0.7967	0.8426	0.8667
						PR LEFT	0.108	0.116	0.122	0.8981	0.8966	0.8852
	02-011	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.266	0.263	0.253	0.8910	0.8745	0.9209
						PR LEFT	0.261	0.262	0.271	0.9119	1.0000	0.9631
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.185	0.172	0.8537	0.8486	0.9128
						PR LEFT	0.199	0.196	0.197	0.8894	0.9082	0.9594
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.199	0.214	0.215	0.9749	0.9673	0.9488
						PR LEFT	0.127	0.122	0.116	0.8819	0.9262	0.9569
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.166	0.159	0.158	0.9036	0.9119	0.9494
						PR LEFT	0.148	0.154	0.147	0.9459	0.8896	0.9048
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.088	0.090	0.093	0.9091	0.9333	0.9570
						PR LEFT	0.088	0.094	0.093	0.8977	0.9149	0.9140

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 36 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-011	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.098	0.098	0.103	0.9082	0.9184	0.9223
						PR LEFT	0.091	0.104	0.109	1.0000	0.9712	0.8991
	02-012	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.210	0.210	0.209	0.9286	0.8952	0.8804
						PR LEFT	0.147	0.148	0.147	0.8571	0.8919	0.8912
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.187	0.187	0.206	0.9037	0.9091	0.9126
						PR LEFT	0.122	0.112	0.111	0.7787	0.8839	0.8829
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.143	0.144	0.153	0.8811	0.9167	0.8889
						PR LEFT	0.150	0.148	0.151	0.8933	0.9054	0.8874
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.152	0.148	0.143	0.9145	0.9392	0.9650
						PR LEFT	0.097	0.096	0.096	0.8660	0.8958	0.9271
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.095	0.083	0.080	0.7895	0.8795	0.9875
						PR LEFT	0.094	0.106	0.109	0.9681	0.9151	0.9450

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 37 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-012	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.078	0.084	0.086	0.9231	0.9286	0.9186
						PR LEFT	0.090	0.089	0.098	0.8556	0.9438	0.8673
	02-013	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.261	0.229	0.215	0.8008	0.8341	0.8651
						PR LEFT	0.200	0.201	0.197	0.8050	0.8657	0.8985
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.255	0.239	0.248	0.8510	0.9289	0.9435
						PR LEFT	0.193	0.196	0.185	0.7927	0.8010	0.8486
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.134	0.104	0.106	0.7313	0.8558	0.8774
						PR LEFT	0.145	0.141	0.144	0.7931	0.7305	0.6042
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.155	0.144	0.135	0.8387	0.8750	0.8741
						PR LEFT	0.155	0.153	0.137	0.8000	0.6993	0.8248
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.143	0.109	0.099	0.5594	0.5505	0.5455
						PR LEFT	0.095	0.088	0.090	0.6947	0.7500	0.8111

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 38 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-013	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.138	0.140	0.145	0.9420	0.8929	0.9655
						PR LEFT	0.091	0.103	0.113	0.9451	0.9806	0.8142
	02-014	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.167	0.176	0.165	0.7904	0.8239	0.8606
						PR LEFT	0.170	0.169	0.161	0.8588	0.8284	0.8758
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.174	0.163	0.159	0.8276	0.8589	0.8994
						PR LEFT	0.170	0.169	0.165	0.8824	0.8817	0.8727
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.097	0.093	0.093	0.8144	0.9032	0.8925
						PR LEFT	0.123	0.115	0.117	0.8780	0.8609	0.8803
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.115	0.104	0.089	0.8087	0.7692	0.8427
						PR LEFT	0.172	0.156	0.151	0.8140	0.8590	0.9073
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.079	0.075	0.078	0.8354	0.9867	0.8462
						PR LEFT	0.085	0.092	0.095	0.9294	0.9457	0.8947

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 39 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-014	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.071	0.075	0.078	0.8592	0.9067	0.8846
						PR LEFT	0.090	0.093	0.097	0.9111	0.9655	0.8763
	02-015	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.190	0.201	0.205	0.9211	0.8557	1.0000
						PR LEFT	0.260	0.248	0.248	0.8885	0.9718	0.9758
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.174	0.169	0.159	0.9138	0.8462	0.8742
						PR LEFT	0.202	0.180	0.150	0.8366	0.8056	0.8733
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.197	0.240	0.265	1.0000	0.9500	0.9925
						PR LEFT	0.075	0.073	0.078	0.8133	0.8904	0.9487
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.199	0.248	0.186	0.9095	0.6895	0.9140
						PR LEFT	0.108	0.099	0.100	0.8611	0.8586	0.8400
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.117	0.105	0.093	0.8376	0.7524	0.9140
						PR LEFT	0.053	0.051	0.057	0.8302	0.9804	0.9474

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 40 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-015	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.178	0.212	0.212	1.0000	0.7877	1.0000
						PR LEFT	0.070	0.074	0.090	0.8857	0.9595	0.8222
	02-016	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.288	0.296	0.339	0.9618	1.0000	0.8053
						PR LEFT	0.251	0.244	0.250	0.8526	0.8893	0.9080
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.221	0.202	0.203	0.8054	0.9010	0.8719
						PR LEFT	0.251	0.244	0.250	0.8526	0.8893	0.9080
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.202	0.199	0.188	0.9010	0.8894	0.9468
						PR LEFT	0.151	0.145	0.144	0.8874	0.9034	0.8750
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.131	0.139	0.149	0.8855	0.9640	0.8926
						PR LEFT	0.194	0.197	0.197	0.9485	0.9086	0.9391
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.123	0.128	0.130	0.9187	0.9297	0.9462
						PR LEFT	0.155	0.165	0.178	0.9484	0.9576	0.9607

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 41 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-016	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.177	0.179	0.169	0.8588	0.7989	0.7633
						PR LEFT	0.234	0.176	0.157	0.4701	0.5739	0.6497
	02-017	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.295	0.271	0.289	0.8983	0.9262	1.0000
						PR LEFT	0.243	0.282	0.303	0.2430	0.2820	0.3030
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.154	0.154	0.157	0.8117	0.8896	0.9299
						PR LEFT	0.138	0.130	0.132	0.8188	0.8538	0.9394
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.181	0.194	0.187	0.9724	0.8969	0.9519
						PR LEFT	0.197	0.183	0.171	0.8071	0.8415	0.8129
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.114	0.113	0.110	0.8070	0.8584	0.9091
						PR LEFT	0.107	0.108	0.098	0.8692	0.8148	0.8673
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.139	0.123	0.166	0.7482	0.8130	0.9483
						PR LEFT	0.105	0.107	0.118	0.9238	1.0000	0.9407

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 42 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-017	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.204	0.169	0.139	0.7206	0.7988	0.9712
						PR LEFT	0.099	0.095	0.096	0.8687	0.8947	0.8229
	02-018	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.225	0.225	0.226	0.8933	0.9022	0.9690
						PR LEFT	0.211	0.229	0.215	0.9479	0.8777	0.8605
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.208	0.216	0.191	0.8894	0.8333	0.9634
						PR LEFT	0.214	0.195	0.190	0.8037	0.8410	0.9263
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.199	0.200	0.196	0.9146	0.8950	0.8214
						PR LEFT	0.219	0.207	0.206	0.8265	0.8696	0.9126
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.130	0.126	0.114	0.8385	0.8413	0.9737
						PR LEFT	0.119	0.125	0.123	1.0000	0.8800	0.9431
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.126	0.126	0.127	0.8889	0.9048	0.9134
						PR LEFT	0.103	0.098	0.103	0.8350	0.9184	0.9709

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 43 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-018	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.117	0.116	0.121	0.8803	0.9310	0.8926
						PR LEFT	0.201	0.183	0.161	0.7960	0.7869	0.8571
	02-019	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.416	0.364	0.320	0.9808	0.8324	0.8938
						PR LEFT	0.283	0.271	0.261	0.9152	0.9151	0.9923
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.228	0.232	0.242	0.9211	0.9440	0.9298
						PR LEFT	0.217	0.219	0.200	0.9770	0.8676	0.8850
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.232	0.230	0.230	0.9052	0.9348	0.9696
						PR LEFT	0.189	0.196	0.211	0.9735	0.9847	0.9716
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.126	0.126	0.134	0.9524	0.9762	1.0000
						PR LEFT	0.144	0.142	0.160	0.9028	1.0000	0.9250
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.109	0.108	0.109	0.8440	0.9352	0.9450
						PR LEFT	0.110	0.109	0.114	0.9000	0.9450	0.9035

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 44 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-019	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.090	0.091	0.093	0.8778	0.9121	1.0000
						PR LEFT	0.079	0.076	0.074	0.8734	0.8684	0.9324
	02-020	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.232	0.218	0.213	0.8491	0.8991	0.9812
						PR LEFT	0.246	0.250	0.251	0.9268	0.8920	0.9323
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.156	0.153	0.155	0.8718	0.9216	0.9484
						PR LEFT	0.173	0.162	0.154	0.8671	0.8642	0.8766
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.106	0.106	0.115	0.8868	0.9340	0.8696
						PR LEFT	0.146	0.139	0.131	0.8699	0.8777	0.9237
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.124	0.118	0.117	0.8629	0.9068	0.9573
						PR LEFT	0.139	0.126	0.136	0.8129	0.9683	0.9265
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.095	0.090	0.093	0.8632	0.9111	0.9355
						PR LEFT	0.093	0.086	0.088	0.8495	0.9302	0.9545

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 45 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-020	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.084	0.072	0.076	0.8095	0.9167	0.8816
						PR LEFT	0.087	0.085	0.085	0.8736	0.8824	0.9412
	02-021	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.258	0.246	0.237	0.8295	0.8780	0.8650
						PR LEFT	0.322	0.274	0.259	0.8540	0.8759	0.9421
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.289	0.271	0.267	0.8097	0.8598	0.7116
						PR LEFT	0.200	0.191	0.251	0.8400	0.9791	0.8685
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.174	0.189	0.205	0.9655	0.8889	0.8585
						PR LEFT	0.131	0.107	0.090	0.7176	0.7664	0.9000
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.100	0.096	0.099	0.8300	0.8958	0.8485
						PR LEFT	0.111	0.095	0.095	0.7568	0.8632	0.8421
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.229	0.219	0.200	0.8996	0.9909	1.0000
						PR LEFT	0.107	0.099	0.108	0.8224	0.9798	0.9259

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 46 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-021	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.109	0.108	0.112	0.8807	0.9259	0.9464
						PR LEFT	0.070	0.069	0.069	0.8857	0.8986	0.9565
	02-022	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.162	0.165	0.163	0.8642	0.8909	0.8712
						PR LEFT	0.234	0.241	0.236	0.8932	0.9378	0.9576
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.168	0.156	0.157	0.7976	0.8654	0.8981
						PR LEFT	0.231	0.235	0.229	0.8658	0.8766	0.9039
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.115	0.102	0.094	0.7739	0.8235	0.8404
						PR LEFT	0.190	0.193	0.197	0.9579	0.9275	0.9594
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.133	0.135	0.138	0.8647	0.9037	0.8406
						PR LEFT	0.106	0.103	0.098	0.8302	0.8641	0.8776
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.082	0.090	0.094	0.8902	0.8889	0.9255
						PR LEFT	0.100	0.094	0.094	0.8700	0.9574	0.9043

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 48 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-023	Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.144	0.139	0.147	0.9167	0.9568	0.9728
						PR LEFT	0.107	0.100	0.103	0.8692	0.9400	0.9612
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.127	0.129	0.128	0.9055	0.9070	0.9375
						PR LEFT	0.193	0.202	0.168	0.1930	0.2020	0.8333
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.119	0.113	0.103	0.8487	0.8673	0.9223
						PR LEFT	0.074	0.072	0.074	0.8919	0.8333	0.9054
		Week 24	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.086	0.084	0.086	0.8488	0.9167	0.8953
						PR LEFT	0.194	0.203	0.221	1.0000	0.9901	1.0000
		Week 36	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.107	0.101	0.103	0.8598	0.9208	0.8932
						PR LEFT	0.105	0.108	0.103	0.9143	0.8611	0.9417
	02-024	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.249	0.247	0.255	0.9197	0.9271	1.0000
						PR LEFT	0.267	0.258	0.271	0.8614	0.9070	0.9889

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 47 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-022	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.065	0.078	0.078	1.0000	0.8462	0.9103
						PR LEFT	0.091	0.086	0.088	0.8462	0.9767	0.9545
		Week 24	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.075	0.072	0.072	0.8533	0.8611	0.8472
						PR LEFT	0.103	0.098	0.100	0.8350	0.9286	0.9300
		Week 36	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.183	0.158	0.173	0.9727	0.8608	0.8786
						PR LEFT	0.073	0.080	0.081	0.9726	0.9250	0.9630
	02-023	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.267	0.261	0.243	0.8764	0.8544	0.8601
						PR LEFT	0.341	0.349	0.351	0.9384	0.9198	0.9231
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.200	0.211	0.211	0.9400	0.9242	0.9194
						PR LEFT	0.195	0.195	0.200	0.8923	0.9436	0.8600
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.158	0.151	0.140	0.8291	0.8411	0.8143
						PR LEFT	0.246	0.253	0.221	0.8821	0.8261	0.8959

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 50 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-025	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.167	0.170	0.159	0.8443	0.8471	1.0000
						PR LEFT	0.135	0.134	0.145	0.8741	0.9627	0.7793
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.149	0.152	0.154	0.8792	0.9408	0.9026
						PR LEFT	0.092	0.093	0.094	0.8804	0.8602	0.8723
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.156	0.147	0.147	0.8654	0.9116	0.9320
						PR LEFT	0.127	0.123	0.131	0.8740	0.8862	0.8702
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.135	0.150	0.164	0.9704	0.9333	0.8354
						PR LEFT	0.151	0.154	0.158	0.9338	0.9286	0.9494
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.086	0.077	0.076	0.8256	0.8961	0.9211
						PR LEFT	0.088	0.100	0.104	0.9886	0.9600	0.8558
		Week 24	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.080	0.083	0.084	0.8625	0.8434	0.9524
						PR LEFT	0.133	0.140	0.139	0.9474	0.9214	0.9424

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 49 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-024	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.152	0.151	0.157	0.8553	0.8940	0.8344
						PR LEFT	0.279	0.294	0.256	0.9785	0.7925	0.9805
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.183	0.174	0.167	0.8798	0.9023	0.9162
						PR LEFT	0.247	0.210	0.220	0.7692	0.9238	0.7364
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.114	0.112	0.112	0.8947	0.9375	0.9375
						PR LEFT	0.149	0.136	0.129	0.8121	0.8603	0.9225
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.126	0.124	0.120	0.9048	0.8952	0.9000
						PR LEFT	0.122	0.119	0.121	0.8361	0.8908	0.9421
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.074	0.072	0.073	0.8108	0.8889	0.8904
						PR LEFT	0.081	0.081	0.084	0.9012	0.9136	0.9643
	02-025	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.206	0.175	0.165	0.7718	0.8057	0.8727
						PR LEFT	0.169	0.185	0.180	0.9349	0.8703	0.8611

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 51 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-025	Week 36	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.087	0.107	0.113	1.0000	0.9252	0.9115
						PR LEFT	0.042	0.042	0.043	0.8810	0.9524	0.9302
	02-026	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.287	0.286	0.280	0.9373	0.9021	0.9286
						PR LEFT	0.326	0.338	0.340	0.9755	0.9645	0.9559
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.283	0.282	0.289	0.9505	0.9716	0.9862
						PR LEFT	0.209	0.215	0.216	0.8900	0.9442	0.9352
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.275	0.265	0.270	0.8836	0.9660	0.9519
						PR LEFT	0.242	0.240	0.227	0.8967	0.9083	0.9119
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.211	0.207	0.208	0.9194	0.9662	0.9856
						PR LEFT	0.178	0.194	0.203	0.9831	0.9588	0.9754
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.167	0.169	0.168	0.9461	0.9527	0.9821
						PR LEFT	0.137	0.138	0.152	0.9270	1.0000	0.9408

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 52 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-026	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.166	0.167	0.167	0.9518	0.9222	0.9581
						PR LEFT	0.114	0.121	0.124	0.9737	0.9587	0.9274
	02-027	Day 0	Yes	Yes	Yes	LCL RIGHT	0.175	0.164	0.157	0.7714	0.8049	0.8344
						LCL LEFT	0.191	0.185	0.191	0.7696	0.8649	0.8272
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.352	0.270	0.230	0.7415	0.8074	0.8696
						LCL LEFT	0.155	0.142	0.142	0.7806	0.8451	0.8521
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.148	0.132	0.142	0.7770	0.8561	0.9930
						LCL LEFT	0.192	0.190	0.202	0.7604	0.8632	0.9851
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.105	0.097	0.093	0.7429	0.7732	0.8280
						LCL LEFT	0.140	0.142	0.141	0.8000	0.8239	0.8582
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 12	No	Yes	No	LCL RIGHT	0.113	0.117	0.118	0.8584	0.8376	0.8644
						LCL LEFT	0.134	0.133	0.132	0.7687	0.7744	0.8258
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 53 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-027	Week 16	No	Yes	No	LCL RIGHT	0.092	0.100	0.103	0.8696	0.8600	0.8544
						LCL LEFT	0.077	0.075	0.077	0.7792	0.8533	0.8571
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 24	Yes	Yes	Yes	LCL RIGHT	0.082	0.076	0.076	0.8171	0.8816	0.8421
						LCL LEFT	0.072	0.068	0.063	0.7778	0.8088	0.8254
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
		Week 36	Yes	Yes	Yes	LCL RIGHT	0.089	0.084	0.090	0.7978	0.8929	0.8222
						LCL LEFT	0.082	0.077	0.081	0.7439	0.8571	0.8765
						PR RIGHT	-	-	-	-	-	-
						PR LEFT	-	-	-	-	-	-
	02-028	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.207	0.188	0.183	0.8889	0.9043	0.8689
						PR LEFT	0.158	0.133	0.123	0.8101	0.8722	0.8374
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.169	0.166	0.156	0.7870	0.8253	0.8397
						PR LEFT	0.191	0.184	0.191	0.8377	0.8641	0.8796
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.122	0.115	0.112	0.8361	0.8348	0.8214
						PR LEFT	0.112	0.131	0.143	0.9821	0.9084	0.9371

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 54 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-028	Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.103	0.104	0.100	0.9029	0.8654	0.8800
						PR LEFT	0.137	0.129	0.139	0.8394	0.9147	0.8417
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.116	0.112	0.107	0.7931	0.8393	0.8598
						PR LEFT	0.122	0.124	0.129	0.8852	0.8952	0.9767
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.092	0.097	0.106	0.8587	1.0000	0.9151
						PR LEFT	0.081	0.069	0.071	0.8178	0.9275	0.9014
		Week 24	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.110	0.117	0.115	0.9818	0.8974	0.8696
						PR LEFT	0.190	0.168	0.145	0.8105	0.7619	0.9655
		Week 36	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.065	0.072	0.071	1.0000	0.9028	0.9437
						PR LEFT	0.080	0.075	0.077	0.8125	0.8933	0.9351
	02-029	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.215	0.188	0.180	0.7814	0.8777	0.8833
						PR LEFT	0.165	0.149	0.138	0.8242	0.8859	0.9058

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 55 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-029	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.247	0.259	0.259	0.9798	0.8340	0.8610
						PR LEFT	0.171	0.171	0.161	0.9006	0.8363	0.9379
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.170	0.167	0.164	0.8118	0.8862	0.9817
						PR LEFT	0.225	0.238	0.229	0.9822	0.8655	0.7817
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.190	0.180	0.180	0.8842	0.8611	0.9500
						PR LEFT	0.101	0.114	0.115	1.0000	0.9035	0.8957
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.236	0.257	0.255	0.9364	0.8677	0.8784
						PR LEFT	0.093	0.094	0.097	0.9032	0.9043	0.9588
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.079	0.079	0.073	0.8481	0.8354	0.8767
						PR LEFT	0.097	0.097	0.091	0.8557	0.8454	0.9121
	02-030	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.245	0.240	0.231	0.8939	0.9208	0.9481
						PR LEFT	0.216	0.211	0.210	0.8796	0.9005	0.8905

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 56 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-030	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.283	0.294	0.305	0.8975	0.9354	0.9377
						PR LEFT	0.243	0.236	0.237	0.8930	0.9237	0.9536
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.158	0.155	0.159	0.9241	0.9355	0.9182
						PR LEFT	0.185	0.188	0.189	0.8973	0.8989	0.9101
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.127	0.130	0.143	0.9291	0.9615	0.8951
						PR LEFT	0.122	0.122	0.126	0.9262	0.9590	0.9683
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.114	0.116	0.116	0.8947	0.9052	0.9310
						PR LEFT	0.102	0.105	0.113	0.9804	0.9143	0.9027
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.092	0.096	0.096	0.9239	0.8958	0.9583
						PR LEFT	0.068	0.070	0.071	0.8971	0.9286	0.8873
	02-031	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.178	0.171	0.181	0.9045	0.9240	0.9282
						PR LEFT	0.167	0.165	0.159	0.9880	0.9333	0.9057

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 57 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-031	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.166	0.167	0.168	0.9337	0.8623	0.9107
						PR LEFT	0.170	0.165	0.178	0.8294	0.9273	0.8652
		Week 6	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.184	0.194	0.201	0.9348	0.9433	0.9453
						PR LEFT	0.173	0.180	0.184	0.9133	0.9333	0.8859
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.100	0.102	0.100	0.9000	0.9118	0.8900
						PR LEFT	0.100	0.103	0.103	0.9100	0.9029	0.9417
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.114	0.112	0.114	0.8860	0.9375	0.9737
						PR LEFT	0.090	0.095	0.091	0.9667	0.9158	0.9890
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.073	0.077	0.079	0.9315	0.9221	0.9620
						PR LEFT	0.059	0.056	0.062	0.8644	0.9643	0.9839
	02-032	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.314	0.312	0.322	0.9395	0.9615	0.9317
						PR LEFT	0.297	0.314	0.307	0.9865	0.9108	1.0000

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 58 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-032	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.235	0.217	0.204	0.8383	0.8571	0.8922
						PR LEFT	0.168	0.163	0.176	0.8929	0.9202	0.9830
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.199	0.194	0.9073	0.8894	0.9124
						PR LEFT	0.178	0.173	0.167	0.8708	0.8902	0.8802
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.173	0.166	0.164	0.8844	0.9096	0.9695
						PR LEFT	0.156	0.148	0.152	0.8590	0.9459	0.9868
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.115	0.113	0.114	0.8696	0.9027	0.9386
						PR LEFT	0.148	0.152	0.157	0.9392	0.9605	0.9045
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.130	0.119	0.125	0.8154	0.8655	0.8480
						PR LEFT	0.085	0.086	0.088	0.9059	0.9186	0.8864
	02-033	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.229	0.204	0.209	0.8035	0.9657	0.8756
						PR LEFT	0.200	0.181	0.189	0.8400	0.9006	0.9630

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 59 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-033	Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.212	0.194	0.185	0.8255	0.8454	0.8378
						PR LEFT	0.145	0.134	0.138	0.8207	0.8955	0.8913
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.196	0.186	0.186	0.8010	0.8978	0.8925
						PR LEFT	0.203	0.202	0.203	0.9064	0.9109	0.8916
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.212	0.210	0.211	0.8962	0.9238	0.9336
						PR LEFT	0.123	0.126	0.127	0.8780	0.9127	0.9134
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.187	0.172	0.172	0.8503	0.8895	0.9535
						PR LEFT	0.099	0.103	0.105	0.8889	0.9029	0.8667
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.170	0.158	0.159	0.8294	0.8228	0.7862
						PR LEFT	0.091	0.089	0.091	0.8901	0.9326	0.9341
		Week 24	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.119	0.112	0.112	0.8487	0.8639	0.9196
						PR LEFT	0.092	0.091	0.086	0.8152	0.8352	0.9070

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 60 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-033	Week 36	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.080	0.082	0.083	0.9250	0.9146	0.9157
						PR LEFT	0.071	0.065	0.065	0.8451	0.8923	0.9385
	02-034	Day 0	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.300	0.294	0.287	0.9233	0.9252	0.8641
						PR LEFT	0.269	0.262	0.267	0.8996	0.9275	0.9026
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.282	0.256	0.259	0.8759	0.9453	0.9537
						PR LEFT	0.248	0.238	0.262	0.8952	1.0000	0.8855
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.222	0.213	0.212	0.8964	0.9296	0.9387
						PR LEFT	0.190	0.202	0.207	0.9526	0.9554	0.9807
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.168	0.161	0.167	0.9048	0.9565	0.9461
						PR LEFT	0.145	0.149	0.157	0.9793	0.9530	0.9490
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.129	0.129	0.134	0.9302	0.9457	0.9851
						PR LEFT	0.115	0.115	0.125	0.9217	0.9826	0.8640

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 61 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Yuvell fine aesthetics	02-034	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.119	0.127	0.134	0.9328	0.9449	0.9254
						PR LEFT	0.136	0.140	0.148	0.9632	0.9357	0.9189
Mara Graz	03-001	Day 0	Yes	Yes	Yes	LCL RIGHT	0.352	0.300	0.301	0.5426	0.7967	0.8904
						LCL LEFT	0.382	0.354	0.365	0.5942	0.8418	0.8904
						PR RIGHT	0.323	0.317	0.348	0.7740	0.8896	0.9569
						PR LEFT	0.282	0.291	0.296	0.6277	0.7973	0.8851
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.288	0.286	0.322	0.5278	0.7797	0.8727
						LCL LEFT	0.278	0.274	0.318	0.5719	0.8285	0.9528
						PR RIGHT	0.281	0.292	0.308	0.8327	0.9281	0.9870
						PR LEFT	0.238	0.260	0.270	0.7227	0.9385	0.9185
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.267	0.256	0.301	0.5655	0.8320	0.8671
						LCL LEFT	0.301	0.318	0.340	0.6445	0.7642	0.8500
						PR RIGHT	0.282	0.285	0.306	0.8936	0.9333	0.9183
						PR LEFT	0.265	0.275	0.290	0.8566	0.9382	0.9621
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.372	0.256	0.252	0.5699	0.7578	0.8254
						LCL LEFT	0.336	0.334	0.368	0.5149	0.7545	0.8560
						PR RIGHT	0.344	0.325	0.338	0.7791	0.8708	0.8905
						PR LEFT	0.279	0.303	0.331	0.7491	0.9076	0.9063
		Week 12	No	Yes	No	LCL RIGHT	0.326	0.349	0.345	0.7607	0.8739	0.9420
						LCL LEFT	0.255	0.282	0.291	0.8980	0.8369	0.8900
						PR RIGHT	0.257	0.279	0.286	0.9494	0.9570	0.9615
						PR LEFT	0.325	0.341	0.349	0.9169	0.9091	0.9255

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 62 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-001	Week 16	Yes	Yes	Yes	LCL RIGHT	0.400	0.427	0.430	0.7775	0.8290	0.9023
						LCL LEFT	0.392	0.395	0.431	0.8189	0.9190	0.8840
						PR RIGHT	0.289	0.293	0.313	0.9031	0.9761	0.9872
	03-002	Day 0				PR LEFT	0.347	0.367	0.377	0.9020	0.9019	0.9231
			Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.260	0.231	0.254	0.7385	0.8745	0.8937
						PR LEFT	0.243	0.238	0.233	0.4527	0.7269	0.7253
			Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
		Week 3				LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.201	0.202	0.203	0.7214	0.8564	0.9409
						PR LEFT	0.189	0.212	0.229	0.7831	0.9009	0.9127
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.165	0.148	0.155	0.6545	0.8378	0.8903
		Week 8	Yes	Yes	Yes	PR LEFT	0.175	0.183	0.200	0.7200	0.8197	0.8650
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 12	No	Yes	No	PR RIGHT	0.307	0.274	0.264	0.7914	0.8978	0.8977
						PR LEFT	0.245	0.188	0.189	0.6490	0.8564	0.8677
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.254	0.265	0.289	0.8740	0.9962	0.9792
						PR LEFT	0.196	0.221	0.233	0.8265	0.8507	0.9099

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 63 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-002	Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.233	0.241	0.9805	0.9571	1.0000
						PR LEFT	0.189	0.203	0.223	0.9048	0.9310	0.9417
	03-003	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.236	0.239	0.253	0.8051	0.9205	0.9684
						PR LEFT	0.166	0.185	0.198	0.8735	0.9081	0.9444
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.242	0.261	0.9128	0.9545	0.9349
						PR LEFT	0.226	0.251	0.270	0.8938	0.9124	0.9963
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.264	0.281	0.294	0.9091	0.9466	0.9082
						PR LEFT	0.251	0.259	0.252	0.8566	0.8649	0.9008
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.239	0.277	0.299	1.0000	1.0000	1.0000
						PR LEFT	0.228	0.254	0.270	0.9167	0.9134	0.9333
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.232	0.236	0.238	0.9397	0.9195	0.9538
						PR LEFT	0.213	0.231	0.227	0.9014	0.8831	0.8987

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 64 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-003	Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.159	0.166	0.176	0.9119	0.9699	0.9489
	03-004	Day 0	Yes	Yes	Yes	PR LEFT	0.170	0.165	0.171	0.8706	0.9697	0.9298
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.269	0.241	0.254	0.5725	0.8465	0.8740
						PR LEFT	0.296	0.273	0.273	0.5541	0.7253	0.7949
						LCL RIGHT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.248	0.237	0.266	0.6532	0.9156	0.9624
						PR LEFT	0.225	0.226	0.240	0.6133	0.8230	0.9333
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.250	0.266	0.275	0.7080	0.9211	0.9382
		Week 8	Yes	Yes	Yes	PR LEFT	0.265	0.287	0.295	0.6415	0.7631	0.8237
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.251	0.238	0.227	0.7530	0.8529	0.8502
						PR LEFT	0.187	0.171	0.171	0.6417	0.8713	0.9064
						LCL RIGHT	-	-	-	-	-	-
		Week 16	No	Yes	No	LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.159	0.170	0.192	0.8491	0.9176	0.9531
						PR LEFT	0.244	0.269	0.296	0.8156	0.8290	0.9020

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 65 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-005	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT						
						PR RIGHT	0.290	0.294	0.300	0.8690	0.9354	0.9600
						PR LEFT	0.304	0.320	0.337	0.7533	0.9000	0.9525
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.273	0.297	0.310	0.8498	0.8889	0.9710
						PR LEFT	0.274	0.303	0.310	0.8942	0.8779	0.9000
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.357	0.382	0.387	0.9636	0.9712	0.9664
						PR LEFT	0.239	0.264	0.280	0.9121	0.9205	0.9464
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.317	0.359	0.360	1.0000	0.9972	1.0000
						PR LEFT	0.210	0.219	0.237	0.9000	0.9315	0.9241
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.280	0.295	0.315	0.8964	0.9763	0.9556
						PR LEFT	0.273	0.285	0.294	0.9011	0.9298	0.9592
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.303	0.303	0.314	0.9340	0.9637	0.9682
						PR LEFT	0.249	0.263	0.275	0.9679	0.9582	0.9636

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 66 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-006	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.374	0.397	0.413	0.8770	0.9018	0.9274
						PR LEFT	0.218	0.209	0.218	0.7890	0.8900	0.8532
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.265	0.305	0.302	0.7887	0.9115	0.9868
						PR LEFT	0.201	0.241	0.251	0.7512	0.9212	0.9363
		Week 6	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.194	0.208	0.210	0.8918	0.9615	0.9619
						PR LEFT	0.191	0.198	0.209	0.7958	0.8990	0.9761
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.290	0.293	0.367	0.7414	0.9488	1.0000
						PR LEFT	0.281	0.298	0.347	0.7153	0.9262	0.9568
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.288	0.304	0.311	1.0000	0.9638	0.9614
						PR LEFT	0.159	0.178	0.182	0.8302	0.9045	0.9231
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.192	0.180	0.173	0.0350	0.0300	0.0180
						PR LEFT	0.206	0.217	0.231	0.8786	0.9217	0.9524

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 67 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-007	Day 0	Yes	Yes	Yes	LCL RIGHT	0.324	0.361	0.369	0.5216	0.7202	0.7344
						LCL LEFT	0.315	0.307	0.325	0.5429	0.6775	0.7600
		Week 3	Yes	Yes	Yes	PR RIGHT	0.268	0.277	0.289	0.7425	0.8484	0.9100
						PR LEFT	0.229	0.232	0.238	0.7598	0.8879	0.9160
						LCL RIGHT	0.247	0.252	0.266	0.7409	0.8849	0.8910
						LCL LEFT	0.343	0.385	0.413	0.4956	0.5584	0.4843
						PR RIGHT	0.220	0.221	0.238	0.7364	0.8959	0.9580
						PR LEFT	0.281	0.274	0.280	0.6655	0.7993	0.8179
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.232	0.248	0.276	0.7586	0.9032	1.0000
						LCL LEFT	0.274	0.284	0.293	0.6752	0.8134	0.8498
		Week 8	Yes	Yes	Yes	PR RIGHT	0.274	0.288	0.321	0.8650	0.9688	0.9377
						PR LEFT	0.259	0.269	0.287	0.8031	0.9405	0.9094
						LCL RIGHT	0.265	0.217	0.220	0.5623	0.8111	0.9045
						LCL LEFT	0.316	0.254	0.248	0.5190	0.7402	0.7944
						PR RIGHT	0.289	0.233	0.218	0.6955	0.8627	0.8624
						PR LEFT	0.252	0.285	0.312	0.6706	0.8000	0.9006
		Week 12	Yes	No	Yes	LCL RIGHT	0.322	0.318	0.313	0.7919	0.8616	0.8562
						LCL LEFT	0.409	0.428	0.495	0.7188	0.7173	0.6869
		Week 16	No	Yes	No	PR RIGHT	0.233	0.261	0.275	0.8798	0.9693	0.9127
						PR LEFT	0.277	0.288	0.305	0.8159	0.9097	0.9377
						LCL RIGHT	0.280	0.293	0.317	0.7893	0.8294	0.8360
						LCL LEFT	0.251	0.337	0.533	0.6614	0.6677	0.3677
						PR RIGHT	0.252	0.281	0.289	0.9405	0.9395	0.9204
						PR LEFT	0.253	0.269	0.289	0.8419	0.8996	0.8893

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 68 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-008	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.341	0.354	0.371	0.9296	0.9661	0.9730
						PR LEFT	0.248	0.253	0.264	0.8427	0.9407	0.9508
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.201	0.179	0.180	0.8557	0.8715	0.8444
						PR LEFT	0.247	0.243	0.241	0.8462	0.7860	0.8216
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.158	0.164	0.163	0.8291	0.8659	0.8773
						PR LEFT	0.262	0.258	0.265	0.9313	0.8682	0.9245
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.274	0.296	0.309	0.9380	0.9324	0.9838
						PR LEFT	0.265	0.274	0.278	0.9283	0.9051	0.9281
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.258	0.270	0.284	0.9302	0.9519	0.9472
						PR LEFT	0.223	0.223	0.223	0.9383	0.9372	0.9372
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.202	0.198	0.9268	0.9109	0.9242
						PR LEFT	0.225	0.237	0.237	0.9422	0.8903	0.9030

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 69 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-009	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.340	0.354	0.402	0.8471	1.0000	0.9602
						PR LEFT	0.273	0.307	0.336	0.8828	0.9218	0.9940
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.299	0.322	0.308	0.8729	0.9565	1.0000
						PR LEFT	0.326	0.328	0.336	0.8650	0.8902	0.9851
		Week 6	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.328	0.369	0.405	0.9512	1.0000	0.9778
						PR LEFT	0.223	0.231	0.258	0.9462	0.9177	0.9457
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.251	0.281	0.299	1.0000	0.9822	0.9699
						PR LEFT	0.346	0.373	0.442	0.9335	0.9142	1.0000
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.284	0.279	0.283	0.9261	0.9677	0.9152
						PR LEFT	0.343	0.337	0.331	0.9242	0.9258	0.9517
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.241	0.241	0.283	0.9336	0.9917	0.9541
						PR LEFT	0.319	0.319	0.316	0.9091	0.9342	0.9367

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 70 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-010	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.239	0.286	0.316	0.6527	0.9755	0.9304
						PR LEFT	0.297	0.289	0.292	0.6768	0.9273	0.9144
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.263	0.269	0.287	0.8555	0.9591	0.9826
						PR LEFT	0.260	0.265	0.290	0.8308	0.9358	0.9483
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.255	0.263	0.281	0.8627	0.9620	1.0000
						PR LEFT	0.325	0.307	0.340	0.9508	0.8404	0.8618
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.332	0.387	0.406	0.7922	0.9587	0.9926
						PR LEFT	0.315	0.348	0.386	0.7810	0.8793	0.8886
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.349	0.362	0.387	0.9456	0.9972	0.9819
						PR LEFT	0.238	0.241	0.256	0.8655	0.8423	0.9688
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.279	0.291	0.321	0.9462	1.0000	1.0000
						PR LEFT	0.323	0.323	0.344	0.9257	0.9319	0.9564

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 71 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-011	Day 0	Yes	Yes	Yes	LCL RIGHT	0.303	0.254	0.299	0.5149	0.7205	0.8027
						LCL LEFT	0.275	0.237	0.250	0.5455	0.7426	0.7960
						PR RIGHT	0.370	0.326	0.325	0.7135	0.8742	0.8985
						PR LEFT	0.312	0.299	0.323	0.7436	0.8428	0.8824
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.214	0.214	0.228	0.8411	0.8832	1.0000
						PR LEFT	0.264	0.283	0.291	0.8674	0.9647	0.9794
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.300	0.318	0.343	0.8867	0.9591	0.9417
						PR LEFT	0.268	0.285	0.307	0.8470	0.9158	0.9511
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.250	0.293	0.300	0.7760	0.7713	0.8833
						PR LEFT	0.271	0.284	0.292	0.6827	0.8415	0.9110
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.290	0.302	0.327	0.9172	0.9868	1.0000
						PR LEFT	0.219	0.215	0.211	0.8219	0.8419	0.8673
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.264	0.255	0.248	0.8523	0.8549	0.8589
						PR LEFT	0.238	0.245	0.239	0.8529	0.8694	0.8870

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 72 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-012	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.300	0.283	0.288	0.8400	0.9152	0.9306
						PR LEFT	0.295	0.302	0.332	0.8136	0.9106	0.8855
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.307	0.311	0.309	0.9088	0.9164	0.9353
						PR LEFT	0.305	0.300	0.306	0.8361	0.8633	0.8203
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.196	0.206	0.217	0.9388	0.8883	0.9263
						PR LEFT	0.317	0.357	0.365	0.9401	0.9552	0.9479
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.227	0.260	0.281	0.9295	0.9577	0.9502
						PR LEFT	0.156	0.156	0.175	0.7628	0.9359	0.9086
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.243	0.269	0.289	0.9712	0.9517	0.9481
						PR LEFT	0.287	0.315	0.335	0.8955	0.9333	0.9403
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.186	0.179	0.184	0.8710	0.9385	0.9076
						PR LEFT	0.221	0.232	0.233	0.9231	0.9095	0.9528

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 73 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-013	Day 0	Yes	Yes	Yes	LCL RIGHT	0.319	0.225	0.416	0.3793	0.6978	0.5938
						LCL LEFT	0.338	0.405	0.391	0.5000	0.4988	0.5601
						PR RIGHT	0.349	0.297	0.274	0.7364	0.6700	0.6496
						PR LEFT	0.230	0.247	0.217	0.7826	0.6883	0.6129
		Week 3	No	Yes	No	LCL RIGHT	0.356	0.376	0.414	0.5927	0.8138	0.8092
						LCL LEFT	0.419	0.419	0.496	0.5298	0.6754	0.6129
						PR RIGHT	0.313	0.317	0.322	0.8562	0.9243	0.9410
						PR LEFT	0.260	0.265	0.278	0.8423	0.9434	1.0000
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.316	0.351	0.363	0.6456	0.8063	0.9339
						LCL LEFT	0.348	0.341	0.375	0.5948	0.7625	0.7947
						PR RIGHT	0.242	0.258	0.259	0.8760	0.9419	0.9730
						PR LEFT	0.164	0.230	0.232	0.8171	0.9435	0.9397
		Week 8	No	Yes	No	LCL RIGHT	0.317	0.294	0.341	0.4669	0.8231	0.7243
						LCL LEFT	0.350	0.399	0.354	0.4343	0.4762	0.6695
						PR RIGHT	0.228	0.216	0.233	0.7544	0.8889	0.9227
						PR LEFT	0.188	0.161	0.183	0.5585	0.9317	0.9672
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.357	0.408	0.432	0.7311	0.8015	0.8241
						LCL LEFT	0.432	0.391	0.361	0.5231	0.6598	0.6399
						PR RIGHT	0.281	0.307	0.316	0.8648	0.9316	1.0000
						PR LEFT	0.224	0.249	0.251	0.8259	0.8514	0.8964
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.243	0.257	0.262	0.9095	0.8288	0.9084
						LCL LEFT	0.326	0.388	0.433	0.6748	0.7191	0.7206
						PR RIGHT	0.269	0.282	0.299	0.8996	0.9291	0.9365
						PR LEFT	0.207	0.234	0.246	0.8599	0.9231	0.9959

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 74 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-014	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	PR RIGHT	0.242	0.237	0.267	0.6694	0.8608	0.9288
						PR LEFT	0.267	0.241	0.234	0.3596	0.8216	0.9231
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	PR RIGHT	0.242	0.241	0.252	0.6983	0.8631	0.9762
						PR LEFT	0.196	0.201	0.220	0.6020	0.9154	0.9404
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 8	No	Yes	No	PR RIGHT	0.227	0.205	0.266	0.6520	0.9024	0.9060
						PR LEFT	0.260	0.250	0.256	0.7923	0.9200	0.9219
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 12	No	No	No	PR RIGHT	0.349	0.253	0.255	0.6160	0.8498	0.8431
						PR LEFT	0.360	0.302	0.292	0.6944	0.8543	0.8562
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	PR RIGHT	0.328	0.343	0.361	0.8659	0.9621	0.9446
						PR LEFT	0.252	0.276	0.288	0.8730	0.8587	0.9306
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.296	0.312	0.332	0.9426	0.9872	0.9608
						PR LEFT	0.154	0.184	0.192	0.9221	0.8804	0.9635

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 75 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-015	Day 0	Yes	Yes	Yes	LCL RIGHT	0.312	0.257	0.253	0.5833	0.7198	0.8024
						LCL LEFT	0.333	0.299	0.301	0.4444	0.8261	0.8239
						PR RIGHT	0.401	0.412	0.426	0.7706	0.8641	0.9108
						PR LEFT	0.390	0.406	0.418	0.7821	0.8473	0.9163
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.294	0.322	0.347	0.6156	0.8758	0.9020
						LCL LEFT	0.366	0.385	0.393	0.5656	0.8026	0.8550
						PR RIGHT	0.257	0.272	0.303	0.7121	0.8934	0.9472
						PR LEFT	0.304	0.331	0.355	0.7895	0.9154	0.9718
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.273	0.254	0.286	0.4982	0.7913	0.8671
						LCL LEFT	0.284	0.284	0.283	0.5845	0.7465	0.8375
						PR RIGHT	0.270	0.285	0.293	0.9259	0.9474	0.9761
						PR LEFT	0.282	0.304	0.318	0.8014	0.9303	0.9717
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.320	0.346	0.375	0.6844	0.8757	0.8907
						LCL LEFT	0.376	0.389	0.425	0.5957	0.7506	0.7247
						PR RIGHT	0.355	0.390	0.411	0.8901	0.9513	0.9586
						PR LEFT	0.305	0.329	0.344	0.7311	0.8754	0.9244
		Week 12	Yes	No	Yes	LCL RIGHT	0.276	0.318	0.381	0.8587	1.0000	0.9396
						LCL LEFT	0.379	0.363	0.378	0.6095	0.7906	0.7963
						PR RIGHT	0.283	0.302	0.323	0.8693	0.9967	1.0000
						PR LEFT	0.291	0.298	0.311	0.8763	0.8792	0.8842
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.218	0.194	0.186	0.7798	0.8196	0.8978
						LCL LEFT	0.205	0.185	0.191	0.7610	0.8378	0.8325
						PR RIGHT	0.331	0.336	0.330	0.9426	0.9226	0.9257
						PR LEFT	0.375	0.394	0.415	0.9787	0.9822	0.9807

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 76 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-016	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.293	0.315	0.371	0.8362	1.0000	1.0000
						PR LEFT	0.229	0.251	0.272	0.7118	0.9004	0.9301
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.330	0.351	0.348	0.9576	0.8120	0.8994
						PR LEFT	0.250	0.290	0.301	0.8800	0.8931	0.8837
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.264	0.292	0.306	0.8977	0.9349	0.8693
						PR LEFT	0.237	0.217	0.200	0.7300	0.8018	0.8400
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.339	0.382	0.357	0.9617	0.8691	0.8936
						PR LEFT	0.239	0.257	0.286	0.8870	0.9416	0.9091
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.184	0.275	0.281	1.0000	0.9600	0.9004
						PR LEFT	0.203	0.233	0.246	0.8768	0.8970	0.9228
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.269	0.265	0.321	0.8327	0.9057	1.0000
						PR LEFT	0.331	0.362	0.299	0.7281	0.7928	0.8261

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 77 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-017	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.243	0.280	0.310	0.9383	1.0000	1.0000
						PR LEFT	0.177	0.172	0.177	0.7853	0.8953	0.9040
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.200	0.221	0.252	0.9450	0.9548	0.8095
						PR LEFT	0.188	0.194	0.205	0.8883	0.8299	0.8927
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.223	0.227	0.238	0.9058	0.9047	0.9580
						PR LEFT	0.406	0.338	0.332	0.6970	0.7485	0.7560
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.190	0.211	0.230	0.9158	0.9289	0.9304
						PR LEFT	0.176	0.188	0.189	0.8807	0.8777	0.9101
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.160	0.194	0.238	0.9562	0.9485	0.8739
						PR LEFT	0.215	0.233	0.251	0.8884	0.8970	0.9243
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.147	0.144	0.150	0.8912	0.9167	0.9400
						PR LEFT	0.144	0.143	0.145	0.8889	0.9021	0.9448

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 78 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-018	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.299	0.330	0.350	0.9030	0.9970	1.0000
						PR LEFT	0.330	0.337	0.351	0.6970	0.9347	0.9744
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.156	0.153	0.170	0.8397	0.9804	0.9529
						PR LEFT	0.261	0.295	0.304	0.7318	0.8983	0.9770
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.230	0.250	0.270	0.9348	0.9920	0.9704
						PR LEFT	0.326	0.362	0.381	0.6534	0.8149	0.8898
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.274	0.251	0.258	0.7993	0.9884	0.8876
						PR LEFT	0.252	0.225	0.233	0.6984	0.9378	0.9442
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.281	0.321	0.338	0.9751	0.9439	0.9438
						PR LEFT	0.217	0.230	0.246	0.9771	0.9565	0.9593
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.236	0.256	0.263	0.8517	0.8594	0.9316
						PR LEFT	0.345	0.387	0.407	0.9913	0.9690	0.9656

- : not applicable

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
	09.03.2020	08.06.2025	09.04.2020	

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 79 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-019	Day 0	Yes	Yes	Yes	LCL RIGHT	0.389	0.324	0.301	0.3728	0.6451	0.7276
						LCL LEFT	0.383	0.315	0.346	0.4569	0.7365	0.7081
						PR RIGHT	0.330	0.310	0.323	0.6152	0.7581	0.7740
						PR LEFT	0.331	0.335	0.355	0.4411	0.6269	0.6366
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.349	0.353	0.346	0.6791	0.7535	0.9133
						PR LEFT	0.384	0.414	0.436	0.6328	0.7681	0.8165
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.314	0.292	0.336	0.6561	0.9144	0.9821
						PR LEFT	0.306	0.333	0.380	0.6013	0.7958	0.8579
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.371	0.319	0.311	0.7089	0.8464	0.7910
						PR LEFT	0.350	0.278	0.280	0.6143	0.8885	0.8786
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.406	0.457	0.433	0.8300	0.7396	0.6651
						PR LEFT	0.331	0.424	0.458	0.6979	0.6226	0.5699
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.253	0.286	0.304	0.8775	0.8322	0.7829
						PR LEFT	0.335	0.320	0.350	0.7045	0.7031	0.7486

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 80 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-020	Day 0	Yes	Yes	Yes	LCL RIGHT	0.303	0.286	0.315	0.4323	0.8322	0.9619
						LCL LEFT	0.277	0.304	0.267	0.5343	0.5691	0.7978
						PR RIGHT	0.294	0.305	0.347	0.8367	0.9836	0.9510
						PR LEFT	0.349	0.299	0.317	0.8166	0.9197	0.9401
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.254	0.264	0.8532	0.9488	0.9697
						PR LEFT	0.245	0.256	0.271	0.7878	0.9414	0.9557
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.192	0.189	0.185	0.8438	0.8995	0.9676
						PR LEFT	0.238	0.247	0.257	0.8950	0.9595	0.9689
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.228	0.248	0.279	0.7325	0.9476	0.9319
						PR LEFT	0.206	0.140	0.182	0.5728	0.7786	0.9176
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.278	0.292	0.306	0.9748	0.9418	0.9314
						PR LEFT	0.224	0.229	0.248	0.8080	0.9520	1.0000
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.271	0.278	0.287	0.9779	0.9568	0.9617
						PR LEFT	0.270	0.288	0.298	0.9185	0.8924	0.9226

- : not applicable

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
	09.03.2020	08.06.2025	09.04.2020	

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 81 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-021	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.340	0.390	0.404	0.8265	0.8821	0.9505
						PR LEFT	0.358	0.361	0.390	0.6844	0.8837	1.0000
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.380	0.364	0.383	0.6868	0.8901	0.9321
						PR LEFT	0.377	0.378	0.363	0.8753	0.8704	0.9394
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.313	0.346	0.367	0.8435	0.9538	0.9973
						PR LEFT	0.301	0.303	0.329	0.7973	0.9373	0.9939
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.324	0.351	0.366	1.0000	0.9430	0.9945
						PR LEFT	0.357	0.366	0.378	0.7255	0.9044	0.9365
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.346	0.388	0.418	0.8873	0.9330	1.0000
						PR LEFT	0.347	0.367	0.386	0.9337	0.9918	0.9637
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.261	0.241	0.228	0.8391	0.8755	0.9342
						PR LEFT	0.353	0.306	0.333	0.8442	1.0000	0.9760

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 82 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-022	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	PR RIGHT	0.334	0.336	0.359	0.8263	0.9315	0.9387
						PR LEFT	0.333	0.343	0.360	0.7988	0.9067	0.9639
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	PR RIGHT	0.288	0.261	0.285	0.8542	0.9042	0.8702
						PR LEFT	0.346	0.332	0.351	0.8613	0.9127	0.8547
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	PR RIGHT	0.323	0.341	0.337	0.8297	0.8534	0.8694
						PR LEFT	0.375	0.392	0.396	0.7787	0.8316	0.8308
		Week 18	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 20	Yes	Yes	Yes	PR RIGHT	0.355	0.368	0.377	0.9099	0.9402	0.9390
						PR LEFT	0.343	0.493	0.426	0.9038	0.7546	0.8357
		Week 22	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 24	Yes	Yes	Yes	PR RIGHT	0.348	0.371	0.427	1.0000	0.9461	1.0000
						PR LEFT	0.335	0.352	0.366	0.9104	0.9119	0.9344
		Week 26	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 28	Yes	Yes	Yes	PR RIGHT	0.262	0.271	0.262	0.9122	0.8782	0.8817
						PR LEFT	0.251	0.263	0.267	0.9562	0.9430	0.9401

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 84 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-024	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.302	0.291	0.301	0.6854	0.8522	0.8704
						PR LEFT	0.275	0.274	0.298	0.7491	0.7117	0.8893
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.264	0.297	0.316	0.7197	0.9259	0.9525
						PR LEFT	0.274	0.281	0.296	0.8394	0.9146	0.9324
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.306	0.321	0.327	0.9183	0.9408	0.9847
						PR LEFT	0.261	0.265	0.280	0.8544	0.9283	0.9571
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.293	0.305	0.331	0.5563	0.9670	0.9033
						PR LEFT	0.311	0.334	0.327	0.9196	0.9162	0.9664
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.337	0.346	0.352	0.9644	0.9971	1.0000
						PR LEFT	0.279	0.291	0.307	0.9032	0.9107	0.9544
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.319	0.316	0.309	0.8683	0.9272	0.9061
						PR LEFT	0.355	0.385	0.418	0.9437	0.9896	0.9856

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 85 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-025	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.289	0.308	0.320	0.7889	0.0188	0.9562
						PR LEFT	0.270	0.281	0.310	0.7704	0.8577	0.9710
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.292	0.308	0.322	0.9349	0.9416	0.9348
						PR LEFT	0.243	0.256	0.278	0.8807	0.9023	1.0000
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.240	0.246	0.234	0.8375	0.8496	0.8932
						PR LEFT	0.243	0.252	0.270	0.9218	0.9563	0.9370
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.274	0.280	0.302	0.9453	1.0000	1.0000
						PR LEFT	0.291	0.275	0.273	0.9175	0.8764	0.9341
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.262	0.305	0.283	1.0000	0.7934	1.0000
						PR LEFT	0.236	0.299	0.264	0.9449	0.7926	0.8939
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.205	0.210	0.218	0.8927	0.9810	1.0000
						PR LEFT	0.170	0.178	0.179	0.9647	0.9719	0.9162

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 83 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-023	Day 0	Yes	Yes	Yes	LCL RIGHT	0.351	0.286	0.300	0.5385	0.6958	0.7533
						LCL LEFT	0.291	0.293	0.280	0.6254	0.7167	0.7964
						PR RIGHT	0.344	0.382	0.399	0.7558	0.8508	0.8922
						PR LEFT	0.329	0.308	0.334	0.7052	0.8896	0.8743
		Week 3	No	Yes	No	LCL RIGHT	0.272	0.272	0.265	0.4853	0.7684	0.8717
						LCL LEFT	0.282	0.278	0.300	0.5319	0.7194	0.5833
						PR RIGHT	0.292	0.319	0.337	0.9726	0.9906	1.0000
						PR LEFT	0.208	0.223	0.246	0.6923	0.8969	0.9268
		Week 6	No	Yes	No	LCL RIGHT	0.217	0.220	0.245	0.5806	0.7909	0.9020
						LCL LEFT	0.312	0.309	0.307	0.5224	0.6731	0.8176
						PR RIGHT	0.242	0.248	0.253	0.9132	0.9677	0.9526
						PR LEFT	0.252	0.275	0.295	0.8373	0.9309	0.9898
		Week 8	No	Yes	No	LCL RIGHT	0.254	0.187	0.216	0.4764	0.8663	0.8472
						LCL LEFT	0.348	0.342	0.355	0.4195	0.6228	0.8282
						PR RIGHT	0.299	0.311	0.346	0.7826	0.8585	0.9393
						PR LEFT	0.272	0.264	0.303	0.6029	0.8637	0.9142
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.352	0.329	0.398	0.6250	0.7052	0.6583
						LCL LEFT	0.430	0.545	0.585	0.6419	0.5798	0.4940
						PR RIGHT	0.335	0.393	0.423	1.0000	1.0000	0.9622
						PR LEFT	0.306	0.357	0.379	0.8529	0.9188	1.0000
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.286	0.325	0.350	0.7483	0.8246	0.7657
						LCL LEFT	0.235	0.263	0.291	0.7787	0.7681	0.7766
						PR RIGHT	0.287	0.314	0.331	0.9756	1.0000	0.9879
						PR LEFT	0.351	0.386	0.406	0.9601	0.9456	0.9631

- : not applicable

DOC Code C_CT_CER_005_05	Valid from	Valid until	Print date
	09.03.2020	08.06.2025	09.04.2020

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 86 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-026	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.201	0.202	0.199	0.6766	0.7624	0.8693
						PR LEFT	0.227	0.259	0.266	0.7313	0.8687	0.8459
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.215	0.198	0.223	0.6372	0.8586	0.8834
						PR LEFT	0.200	0.198	0.229	0.7500	0.9293	0.9214
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.222	0.219	0.257	0.8243	0.9361	0.9922
						PR LEFT	0.197	0.210	0.243	0.6853	0.8571	0.9835
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.331	0.281	0.288	0.8218	0.8968	0.8472
						PR LEFT	0.172	0.203	0.204	0.5349	0.8128	0.8039
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.297	0.318	0.346	0.9966	0.9371	0.8584
						PR LEFT	0.238	0.277	0.287	0.7941	0.8520	0.8780
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.232	0.265	0.265	0.9310	0.8604	0.9245
						PR LEFT	0.145	0.148	0.151	0.8483	0.8243	0.9669

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 87 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-027	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.282	0.332	0.342	0.6773	0.9247	0.9766
						PR LEFT	0.280	0.290	0.294	0.6679	0.8276	0.8605
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.281	0.296	0.312	0.8007	0.9493	0.9615
						PR LEFT	0.213	0.230	0.241	0.6479	0.8087	0.8714
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.233	0.253	0.275	0.9227	0.9842	0.9418
						PR LEFT	0.182	0.200	0.224	0.7802	0.9400	0.9598
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.247	0.240	0.241	0.7895	0.8875	0.8714
						PR LEFT	0.224	0.217	0.211	0.8259	0.9078	0.9367
		Week 12	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.297	0.319	0.320	0.9865	0.9498	0.9469
						PR LEFT	0.268	0.293	0.310	0.9067	0.9454	0.9355
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.266	0.251	0.235	0.8421	0.8406	0.8553
						PR LEFT	0.249	0.276	0.283	0.9639	0.9022	0.9399

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 89 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-029	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.168	0.155	0.165	0.7560	0.8903	0.8970
						PR LEFT	0.203	0.191	0.206	0.7389	0.8429	0.9175
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.240	0.254	0.9908	0.9750	0.9921
						PR LEFT	0.199	0.209	0.222	0.9246	0.9378	0.9865
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.184	0.210	0.228	0.9348	1.0000	0.9342
						PR LEFT	0.314	0.337	0.322	0.8981	0.8101	0.8758
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.138	0.154	0.161	0.9565	0.9545	0.9752
						PR LEFT	0.238	0.269	0.272	0.9118	0.9331	0.9301
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.230	0.233	0.236	0.8913	0.9442	0.9492
						PR LEFT	0.212	0.217	0.223	0.9434	0.9493	0.9283
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.203	0.215	0.229	0.9064	0.9442	0.9476
						PR LEFT	0.189	0.207	0.226	0.9312	0.9469	0.9425

- : not applicable

DOC Code C_CT_CER_005_05	Valid from	Valid until	Print date
	09.03.2020	08.06.2025	09.04.2020

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 88 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-028	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	PR RIGHT	0.316	0.337	0.351	0.9747	0.9496	0.9630
						PR LEFT	0.223	0.241	0.254	0.8565	0.9461	0.9606
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	PR RIGHT	0.282	0.321	0.333	1.0000	1.0000	0.9640
						PR LEFT	0.269	0.297	0.313	0.8699	0.8721	0.8658
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	PR RIGHT	0.265	0.252	0.267	0.8377	0.8651	0.9026
						PR LEFT	0.337	0.362	0.376	0.9139	0.8950	0.9601
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	PR RIGHT	0.350	0.367	0.395	0.9314	0.9728	0.9291
						PR LEFT	0.247	0.266	0.278	0.9514	0.9549	0.9568
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	PR RIGHT	0.312	0.332	0.349	0.9808	0.9759	0.9713
						PR LEFT	0.246	0.257	0.267	0.9390	0.9572	0.9513
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.266	0.269	0.276	0.9436	0.9554	0.9601
						PR LEFT	0.257	0.260	0.264	0.9377	0.9577	0.9811

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 91 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-031	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.342	0.328	0.325	0.8392	0.8933	0.8769
						PR LEFT	0.374	0.331	0.326	0.8503	0.8761	0.8681
		Week 3	Yes	No	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.395	0.407	0.431	0.8911	0.9533	0.9884
						PR LEFT	0.279	0.311	0.341	0.8710	1.0000	0.9736
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.405	0.438	0.432	0.9383	0.9206	0.9097
						PR LEFT	0.361	0.391	0.393	0.8421	0.8082	0.8830
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.417	0.547	0.492	0.9448	0.8611	0.6931
						PR LEFT	0.326	0.348	0.352	0.8681	0.8524	0.9119
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.258	0.260	0.268	0.8992	0.9538	0.9813
						PR LEFT	0.282	0.321	0.337	1.0000	0.9564	0.9792
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.405	0.446	0.446	0.7778	1.0000	1.0000
						PR LEFT	0.339	0.369	0.395	0.8348	0.7696	0.9620

- : not applicable

Center	DOC Code		Valid from	Valid until	Print date
	C_CT_CER_005_05				

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 90 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-030	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 3	Yes	Yes	Yes	PR RIGHT	0.233	0.183	0.178	0.6266	0.7923	0.8483
						PR LEFT	0.198	0.184	0.188	0.7576	0.8804	0.9309
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 6	Yes	Yes	Yes	PR RIGHT	0.264	0.281	0.282	0.9015	0.8932	0.8936
						PR LEFT	0.229	0.236	0.238	0.8908	0.8517	0.8908
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 8	Yes	Yes	Yes	PR RIGHT	0.193	0.205	0.210	0.9119	0.9220	0.8952
						PR LEFT	0.245	0.274	0.278	0.8612	0.8723	0.9065
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 12	Yes	Yes	Yes	PR RIGHT	0.156	0.177	0.198	0.8590	0.8927	0.9495
						PR LEFT	0.163	0.179	0.192	0.8405	0.8827	0.9479
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
		Week 16	Yes	Yes	Yes	PR RIGHT	0.189	0.199	0.204	0.9312	0.9246	0.9314
						PR LEFT	0.140	0.145	0.163	0.8857	0.9379	0.9755
						LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.173	0.195	0.175	0.8382	0.8359	0.9543
						PR LEFT	0.149	0.155	0.157	0.8456	0.8645	0.9045

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 92 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-032	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.379	0.426	0.481	0.9789	1.0000	1.0000
						PR LEFT	0.316	0.327	0.338	0.8703	0.9235	0.9231
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.323	0.337	0.342	0.8204	0.8754	0.9649
						PR LEFT	0.313	0.308	0.354	0.9393	1.0000	0.9605
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.338	0.366	0.387	0.9201	0.9208	1.0000
						PR LEFT	0.344	0.350	0.348	0.8605	0.9257	0.8736
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.240	0.273	0.292	0.9500	0.9744	0.9658
						PR LEFT	0.331	0.407	0.406	0.9063	0.9361	0.9163
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.277	0.291	0.336	0.9747	1.0000	1.0000
						PR LEFT	0.275	0.276	0.287	0.9382	0.9746	0.9547
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.231	0.243	0.243	0.9394	0.9424	0.9506
						PR LEFT	0.258	0.278	0.302	0.9806	0.9928	0.9570

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 93 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-033	Day 0	Yes	Yes	Yes	LCL RIGHT	0.324	0.357	0.339	0.5216	0.7731	0.8525
						LCL LEFT	0.356	0.386	0.429	0.4522	0.7150	0.7366
						PR RIGHT	0.279	0.309	0.312	0.6691	0.8571	0.9647
						PR LEFT	0.196	0.242	0.236	0.6429	0.7273	0.7924
		Week 3	No	Yes	No	LCL RIGHT	0.339	0.392	0.374	0.8024	0.9770	0.8877
						LCL LEFT	0.332	0.353	0.332	0.7349	0.7507	0.7952
						PR RIGHT	0.342	0.371	0.382	0.9854	0.9650	0.9791
						PR LEFT	0.213	0.240	0.240	0.8263	0.9583	0.9708
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.303	0.409	0.475	0.6469	0.6235	0.6063
						LCL LEFT	0.348	0.340	0.393	0.6868	0.6294	0.6539
						PR RIGHT	0.241	0.263	0.293	0.9129	0.9924	1.0000
						PR LEFT	0.268	0.271	0.278	0.8843	0.9410	0.9604
		Week 8	No	Yes	No	LCL RIGHT	0.332	0.331	0.351	1.0000	0.9215	0.9402
						LCL LEFT	0.298	0.312	0.318	0.7081	0.8077	0.8491
						PR RIGHT	0.309	0.319	0.336	0.9579	0.9843	0.9762
						PR LEFT	0.265	0.283	0.288	0.8755	0.8834	0.9201
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.233	0.246	0.274	0.7425	0.8049	0.8686
						LCL LEFT	0.310	0.321	0.342	0.6387	0.8100	0.7164
						PR RIGHT	0.235	0.254	0.268	0.9362	0.9606	0.9739
						PR LEFT	0.202	0.220	0.236	0.9307	0.9409	0.9703
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.303	0.308	0.346	0.7228	0.7565	0.8410
						LCL LEFT	0.401	0.459	0.475	0.8404	0.7386	0.7516
						PR RIGHT	0.177	0.196	0.207	0.9435	0.9031	0.9275
						PR LEFT	0.219	0.241	0.254	0.9954	0.9212	0.9173

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 95 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-035	Day 0	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.303	0.314	0.337	0.8581	0.9490	0.9733
						PR LEFT	0.277	0.316	0.324	0.6245	0.8576	0.8642
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.288	0.279	0.307	0.9583	0.9391	0.9805
						PR LEFT	0.233	0.253	0.255	0.7983	0.8696	0.8706
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.259	0.283	0.289	0.9151	0.9152	0.9446
						PR LEFT	0.227	0.261	0.271	0.8767	0.9080	0.9225
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.304	0.321	0.330	0.9967	1.0000	0.9939
						PR LEFT	0.195	0.227	0.255	0.9128	0.9912	0.9059
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.220	0.235	0.260	0.8636	0.9319	0.9077
						PR LEFT	0.207	0.221	0.226	0.8937	0.9231	0.9690
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.261	0.282	0.306	0.8506	0.8794	0.8399
						PR LEFT	0.251	0.268	0.290	0.8845	0.9216	0.9241

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 96 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-036	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.300	0.297	0.326	0.6500	0.8721	0.9049
						PR LEFT	0.320	0.324	0.330	0.5781	0.7531	0.8424
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.230	0.250	0.274	0.7652	0.8480	0.9380
						PR LEFT	0.159	0.187	0.195	0.8742	0.8770	0.8615
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.263	0.235	0.238	0.8479	0.8809	0.9202
						PR LEFT	0.300	0.301	0.294	0.8633	0.7674	0.8741
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.218	0.224	0.239	0.9037	0.8973	0.9247
						PR LEFT	0.228	0.225	0.208	0.9035	0.8178	0.8798
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.301	0.317	0.322	0.8970	0.9401	0.8913
						PR LEFT	0.187	0.236	0.261	0.9786	1.0000	1.0000
		Week 16	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.275	0.296	0.323	0.6764	1.0000	0.7492
						PR LEFT	0.165	0.178	0.180	0.8182	0.8708	0.9278

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 94 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-034	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.313	0.327	0.340	0.9105	0.9358	0.9971
						PR LEFT	0.302	0.297	0.318	0.7715	0.8822	0.9560
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.286	0.306	0.329	0.8706	0.9314	0.9301
						PR LEFT	0.193	0.207	0.236	0.9326	0.9807	0.9619
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.320	0.346	0.376	1.0000	1.0000	0.9894
						PR LEFT	0.219	0.234	0.245	0.8676	0.8376	0.8816
		Week 8	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.241	0.250	0.264	0.9004	0.9160	0.9432
						PR LEFT	0.284	0.307	0.316	0.9296	0.9023	0.9462
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.213	0.240	0.251	0.9390	0.9417	0.9761
						PR LEFT	0.220	0.228	0.247	0.8455	0.8465	0.8826
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.248	0.301	0.362	0.7823	0.7309	1.0000
						PR LEFT	0.281	0.334	0.372	0.9751	1.0000	1.0000

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 97 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-037	Day 0	Yes	Yes	Yes	LCL RIGHT	0.390	0.394	0.405	0.6718	0.8325	0.8889
						LCL LEFT	0.293	0.247	0.271	0.6314	0.8340	0.9446
						PR RIGHT	0.237	0.230	0.253	0.8017	0.9261	0.9763
						PR LEFT	0.234	0.264	0.279	0.7949	0.8977	0.9964
		Week 3	Yes	Yes	Yes	LCL RIGHT	0.454	0.452	0.483	0.9449	0.7611	0.9959
						LCL LEFT	0.353	0.362	0.367	0.7875	0.8702	0.8883
						PR RIGHT	0.346	0.375	0.391	0.9884	1.0000	0.9847
						PR LEFT	0.176	0.191	0.203	0.8750	0.9581	0.9261
		Week 6	Yes	Yes	Yes	LCL RIGHT	0.405	0.405	0.438	0.7926	0.8074	0.8562
						LCL LEFT	0.168	0.186	0.202	0.7440	0.8226	0.8614
						PR RIGHT	0.242	0.255	0.285	0.8760	0.9804	0.9158
						PR LEFT	0.281	0.336	0.330	0.8505	0.9018	0.8939
		Week 8	Yes	Yes	Yes	LCL RIGHT	0.466	0.542	0.558	1.0000	0.9594	0.9498
						LCL LEFT	0.480	0.540	0.492	0.9375	0.8907	0.8496
						PR RIGHT	0.236	0.254	0.255	0.9068	0.9055	0.9098
						PR LEFT	0.250	0.258	0.249	0.9160	0.8837	0.9197
		Week 12	Yes	Yes	Yes	LCL RIGHT	0.337	0.374	0.364	0.8961	0.8262	0.8274
						LCL LEFT	0.310	0.341	0.327	0.9065	0.8240	0.8960
						PR RIGHT	0.205	0.221	0.226	0.9707	0.9457	0.9469
						PR LEFT	0.210	0.229	0.230	0.9286	0.9738	0.9348
		Week 16	Yes	Yes	Yes	LCL RIGHT	0.501	0.434	0.488	0.7685	0.8594	1.0000
						LCL LEFT	0.268	0.283	0.321	0.8358	0.9293	0.8629
						PR RIGHT	0.220	0.236	0.246	0.8364	0.8941	0.9593
						PR LEFT	0.176	0.181	0.204	0.9034	0.9448	0.9951

- : not applicable

C_CT_CER_005_05	DOC Code	Valid from	Valid until	Print date
	09.03.2020	08.06.2025	09.04.2020	

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 98 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-038	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.399	0.384	0.392	0.8822	0.9219	0.8699
						PR LEFT	0.335	0.378	0.400	0.8299	0.8598	0.8050
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.386	0.411	0.433	0.9404	0.9416	0.9515
						PR LEFT	0.463	0.484	0.475	0.8186	0.9050	0.9747
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.449	0.468	0.451	0.9087	0.9551	0.9512
						PR LEFT	0.469	0.562	0.532	0.6610	0.6619	0.6729
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.248	0.331	0.393	0.7661	0.9003	0.8473
						PR LEFT	0.321	0.357	0.380	0.9533	0.9524	0.9526
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.365	0.384	0.406	0.9534	0.9479	0.9310
						PR LEFT	0.269	0.283	0.307	0.9033	0.9435	0.9707
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.359	0.363	0.443	0.8942	0.9174	0.8646
						PR LEFT	0.346	0.368	0.385	1.0000	0.9076	1.0000

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 99 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-039	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.262	0.264	0.299	0.6947	0.8598	0.9699
						PR LEFT	0.291	0.320	0.351	0.6564	0.8625	0.9088
		Week 3	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.241	0.256	0.280	0.9461	0.9648	0.9571
						PR LEFT	0.255	0.265	0.289	0.8392	0.8792	0.8962
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.269	0.284	0.297	0.9219	0.9261	0.9293
						PR LEFT	0.360	0.385	0.396	0.8917	0.9091	0.9444
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.246	0.255	0.267	0.8089	0.8980	0.9476
						PR LEFT	0.372	0.385	0.392	0.9543	0.9558	0.9719
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.219	0.241	0.250	0.9315	0.9170	0.9640
						PR LEFT	0.298	0.309	0.325	0.9228	0.9094	0.9108
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.250	0.266	0.275	0.9600	0.9586	0.9564
						PR LEFT	0.260	0.275	0.287	0.9462	0.9600	0.9547

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 100 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-040	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.295	0.244	0.219	0.6949	0.8074	0.9132
						PR LEFT	0.343	0.251	0.263	0.5773	0.8446	0.8745
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.300	0.321	0.317	0.9333	0.9283	0.9558
						PR LEFT	0.317	0.338	0.343	0.9338	0.9586	0.9534
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.220	0.214	0.215	0.8364	0.8458	0.8465
						PR LEFT	0.339	0.291	0.321	0.7139	0.8041	0.7383
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.324	0.308	0.284	0.8642	0.8539	0.8732
						PR LEFT	0.407	0.437	0.417	0.9607	0.9085	1.0000
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.285	0.290	0.296	0.9333	0.9552	0.9088
						PR LEFT	0.234	0.231	0.248	0.8632	0.8355	0.8024
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.368	0.400	0.324	0.9701	0.6825	1.0000
						PR LEFT	0.236	0.229	0.284	0.7881	0.8472	0.9049

- : not applicable

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 102 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-042	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.256	0.256	0.272	0.8750	0.9609	0.9926
						PR LEFT	0.110	0.120	0.145	0.7636	0.9250	0.9517
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.217	0.240	0.246	0.9539	0.9583	0.9919
						PR LEFT	0.182	0.209	0.225	0.9505	0.9617	0.9867
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.252	0.275	0.293	0.9603	0.9673	0.9761
						PR LEFT	0.228	0.247	0.263	0.9123	0.9474	0.9848
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.245	0.272	0.292	0.9184	0.9632	0.9589
						PR LEFT	0.232	0.263	0.279	0.9052	0.9316	0.9211
		Week 12	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.134	0.146	0.158	0.9030	0.9178	0.9430
						PR LEFT	0.234	0.242	0.248	0.9103	0.9669	0.9798
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.189	0.247	0.283	0.9735	0.9433	0.9470
						PR LEFT	0.184	0.206	0.225	0.9457	0.9563	0.9867

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 101 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-041	Day 0	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.273	0.266	0.278	0.8205	0.9436	0.9496
						PR LEFT	0.249	0.242	0.264	0.7751	0.9545	0.9356
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.334	0.349	0.344	0.9401	0.9713	0.9070
						PR LEFT	0.261	0.278	0.280	0.9004	0.9676	0.9893
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.321	0.343	0.353	0.8224	0.9009	0.9065
						PR LEFT	0.350	0.341	0.357	0.8886	0.9032	0.8627
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.232	0.235	0.237	0.8491	0.8894	0.9030
						PR LEFT	0.355	0.395	0.365	0.8592	0.7570	0.8740
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.236	0.266	0.276	0.9237	0.9248	0.9493
						PR LEFT	0.265	0.292	0.322	0.8189	0.8767	0.9037
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.238	0.250	0.261	0.8824	0.9560	0.9464
						PR LEFT	0.285	0.311	0.318	0.9789	0.9325	0.9434

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 1 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-001	Day 0	Yes	-	11:35	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	16:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	14:20	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 8	Yes	-	16:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 12	Yes	-	11:00	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05		Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--	--------------------------	---------------------------	--------------------------

croma

Listing 18.1: Skin tone and skin elasticity (Cutometer measurement)

Part 103 of 103

Center	Site ID / Screening No.	Visit	All measurements done in required climatic conditions?	Visit valid for statistical analysis?	Visit valid for cutometer and corneometer analysis?	Test field/ area	R0 [mm] 1	R0 [mm] 2	R0 [mm] 3	R2 [ratio] 1	R2 [ratio] 2	R2 [ratio] 3
Mara Graz	03-043	Day 0	No	Yes	No	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.261	0.272	0.282	0.7969	0.9191	0.9220
						PR LEFT	0.259	0.254	0.285	0.7606	0.9094	0.8947
		Week 3	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.279	0.286	0.303	0.8889	0.9336	0.9472
						PR LEFT	0.235	0.248	0.272	0.8851	0.9355	0.9118
		Week 6	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.219	0.240	0.253	0.9772	0.9875	0.9486
						PR LEFT	0.318	0.340	0.346	0.8082	0.8147	0.9827
		Week 8	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.207	0.232	0.256	0.9565	0.9698	0.9297
						PR LEFT	0.311	0.317	0.360	0.8746	0.8675	0.9722
		Week 12	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.209	0.222	0.246	0.9665	0.9595	0.9390
						PR LEFT	0.242	0.256	0.258	0.9091	0.9063	0.9147
		Week 16	Yes	Yes	Yes	LCL RIGHT	-	-	-	-	-	-
						LCL LEFT	-	-	-	-	-	-
						PR RIGHT	0.157	0.171	0.182	0.8854	0.8889	0.9066
						PR LEFT	0.296	0.262	0.283	0.6622	0.7443	0.7809

- : not applicable

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 2 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-001	Week 12	Yes	-	11:00	PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	08:20	LCL RIGHT	No: PROGRAM DID NOT RECORD DATA
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-002	Day 0	Yes	-	12:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	08:55	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 8	Yes	-	08:15	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes

- : not applicable,

¹If if completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 3 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-002	Week 12	Yes	-	08:15	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	08:20	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-003	Day 0	Yes	-	13:40	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	11:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Yes
		Week 8	Yes	-	11:00	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.2: Cutometer measurement (process)

Part 4 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-003	Week 8	Yes	-	11:00	PR RIGHT	Yes
						PR LEFT	Yes
	01-004	Day 0	Yes	-	14:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
						LCL RIGHT	Yes
		Week 3	Yes	-	10:10	LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
						LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	08:45	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
						LCL RIGHT	Yes
		Week 8	Yes	-	08:40	LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 5 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-004	Week 12	Yes	-	08:35	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	08:50	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-005	Day 0	Yes	-	15:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	13:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	13:45	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.2: Cutometer measurement (process)

Part 6 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-005	Week 6	Yes	-	13:45	PR RIGHT	Yes
		Week 8	Yes	-	13:35	PR LEFT	Yes
						LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 12	Yes	-	12:10	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	13:25	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-006	Day 0	Yes	-	16:25	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Not applicable

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.2: Cutometer measurement (process)

Part 7 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-006	Week 3	Yes	-	13:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Not applicable
		Week 6	Yes	-	14:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Not applicable
		Week 8	Yes	-	14:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Not applicable
		Week 12	Yes	-	12:20	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Not applicable
						PR LEFT	Not applicable
		Week 16	Yes	-	12:20	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 9 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-007	Week 12	No: SOFTWARE DID NOT WORK FOR UNKNOWN REASON	-	-	LCL RIGHT	-
						LCL LEFT	-
						PR RIGHT	-
						PR LEFT	-
		Week 16	Yes	-	14:55	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-008	Day 0	Yes	-	09:25	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	10:05	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	20:20	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.2: Cutometer measurement (process)

Part 8 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-006	Week 16	Yes	-	12:20	PR RIGHT	Not applicable
	01-007	Day 0	Yes	-	08:30	PR LEFT	Not applicable
						LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	11:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	17:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	No: EXCEL NOT SAVE IN THE SYSTEM
						PR LEFT	Yes
		Week 8	Yes	-	17:15	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 10 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-008	Week 6	Yes	-	20:20	PR RIGHT	Yes
		Week 8	Yes	-	20:45	PR LEFT	Yes
						LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 12	Yes	-	19:40	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	19:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	No: PROGRAM DID NOT RECORD DATA
		Week 24	Yes	-	20:05	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes

- : not applicable,

¹If if completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 11 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-009	Day 0	Yes	-	10:26	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	09:35	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 6	Yes	-	20:35	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 8	Yes	-	21:00	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 12	Yes	-	19:15	LCL RIGHT	Yes
						LCL LEFT	Yes

- : not applicable.

¹If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

croma

Listing 18.2: Cutometer measurement (process)

Part 12 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-009	Week 12	Yes	-	19:15	PR RIGHT	Yes
		Week 16	Yes	-	19:10	PR LEFT LCL RIGHT LCL LEFT	Yes Yes Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 24	Yes	-	20:15	LCL RIGHT LCL LEFT	Yes Yes
						PR RIGHT	Yes
						PR LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
	01-010	Day 0	Yes	-	11:35	LCL RIGHT LCL LEFT	Yes Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 3	Yes	-	10:30	LCL RIGHT LCL LEFT	Yes Yes
						PR RIGHT	Yes
						PR LEFT	Yes

- : not applicable.

¹ If completion date is unequal visit date

DOC Code C_CT_CER_005_05	Valid from 09.03.2020	Valid until 08.06.2025	Print date 09.04.2020
------------------------------------	--------------------------	---------------------------	--------------------------

Listing 18.2: Cutometer measurement (process)

Part 13 of 138

Center	Site ID / Screening No.	Visit	Measurement performed?	Date of measurement ¹	Start time of measurement	Test field/ area	Measurement of test field performed?
Dermatology and venerology clinic	01-010	Week 6	Yes	-	20:45	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 8	Yes	-	21:15	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 12	Yes	-	18:55	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
		Week 16	Yes	-	19:30	LCL RIGHT	Yes
						LCL LEFT	Yes
						PR RIGHT	Yes
						PR LEFT	Yes
							Yes
		Week 24	Yes	-	09:40	LCL RIGHT	No: DUE TO TECHNICAL REASONS SYSTEM DID NOT ACCEPT PROBE AND MEASUREMENT COULD NOT BE PERFORMED
						LCL LEFT	No: DUE TO TECHNICAL REASONS SYSTEM DID NOT ACCEPT PROBE AND MEASUREMENT COULD NOT BE PERFORMED

- : not applicable.

¹If completion date is unequal visit date